

(Click on Well Log ID to Access Image of Well Strip Log)

PETTIS

(Records are Sorted by Township, Range, and Section)

LOG ID: 024868

WELL TYPE Private Well

DRILL DATE:

1967/03/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,000FT

County Base Map

300FT

43N 22W 2

UTM X 472,940.69

UTM Y 4,264,837.09

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

DRILL DEPTH:

40FT

REMARKS: 3 MI N, 0.5 MI E OF IONIA

ZONE 15

80

LOG ID: 005581

WELL TYPE Private Well

DRILL DATE:

1939/08/19

TOWNSHIP

SECTION RANGE 5

ELEVATION:

924FT

DRILL DEPTH:

250FT

22W 43N

> UTM X 466,715.75

UTM Y 4,264,844.06

DEPTH TO BED:

20FT

40

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FΤ

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

017092 DRILL DATE:

1957/09/29

TOWNSHIP

SECTION RANGE 5

ELEVATION:

956FT

DRILL DEPTH:

350FT

43N

22W

UTM X

DEPTH TO BED:

75FT

115

468,115.73

UTM Y 4,265,252.06

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

015049

1956/04/26

TOWNSHIP

RANGE SECTION **ELEVATION:**

875FT

DRILL DATE: DRILL DEPTH:

280FT

43N 23W 7

UTM X

456,231.84

UTM Y 4,263,676.01

DEPTH TO BED:

5FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI SE OF WINDSOR

S.W.L. (AFTER CASING): 140



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012720

WELL TYPE Private Well

1953/12/07 DRILL DATE:

TOWNSHIP 43N

RANGE SECTION **ELEVATION:**

904FT

DRILL DEPTH:

270FT

23W 8

UTMY

DEPTH TO BED:

37FT

UTM X 457,839.83

4,262,811.02

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 020818

WELL TYPE Private Well

DRILL DATE:

1962/03/28

TOWNSHIP

SECTION RANGE 8

ELEVATION:

897FT

DRILL DEPTH:

515FT

43N 23W

UTM X

UTMY

457,039.83

4,262,811.01

DEPTH TO BED:

30FT

170

FT

FT

REMARKS: 0.75 MI S, 1.5 MI E OF WINDSOR ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004601

Private Well

DRILL DATE:

1937/10/20

TOWNSHIP

RANGE SECTION **ELEVATION:**

910FT

DRILL DEPTH:

160FT

44N 20W

UTM X 492,910.67

ZONE 15

UTM Y 4,273,161.25

DEPTH TO BED:

25FT

83

REMARKS: 1 MI NE OF LUTMAN STORE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004600

Noncommunity Public Well

DRILL DATE:

1937/10/01

TOWNSHIP 44N

RANGE 20W

SECTION 12

ELEVATION:

UTM X

838FT

DRILL DEPTH:

122FT

UTM Y

493.055.66 4,271,541.24

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

20FT

FT

REMARKS: 1 MI SE OF LUTMAN STORE

S.W.L. (AFTER CASING):

40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022025

WELL TYPE Private Well

1963/05/ DRILL DATE:

TOWNSHIP 44N

RANGE SECTION 20W

ELEVATION:

870FT

DRILL DEPTH:

100FT

21

UTM X

ZONE 15

488,950.65

UTMY 4,269,019.20

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

26

LOG ID: 023083

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

SECTION RANGE

ELEVATION:

887FT

DRILL DEPTH:

145FT

44N 20W 23

UTM X

DEPTH TO BED:

15FT

35

UTMY 4,269,302.22

491,605.65

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

021470

1962/07/

TOWNSHIP

RANGE 20W

SECTION

ELEVATION:

977FT

DRILL DEPTH:

150FT

44N

32

UTM X

UTM Y

DEPTH TO BED:

10FT

20

486,295.64 4,266,431.17

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 017279

WELL TYPE

Private Well

1958/06/

TOWNSHIP

RANGE

SECTION 33

ELEVATION:

936FT

DRILL DATE: DRILL DEPTH:

44N

20W

UTM X

DEPTH TO BED:

263FT 20FT

40

488,752.64

UTM Y 4,265,588.18

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

2/27/2007

4,120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025011

WELL TYPE Private Well

1967/01/ DRILL DATE:

TOWNSHIP 44N

RANGE SECTION 20W

ELEVATION:

970FT

4,265,181.21

DRILL DEPTH: DEPTH TO BED: 175FT 25FT 36

UTM X **UTMY**

493,239.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

72

REMARKS: 4.5 MI SE OF BOHMER ON HWY C

S.W.L. (AFTER CASING):

LOG ID: 020730

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

100FT

15FT

30

TOWNSHIP 44N

RANGE SECTION 21W 1

ELEVATION:

ZONE 15

ZONE 15

911FT

UTM X

UTMY 4,273,589.18

484,275.65

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: 6 MI SE OF SEDALIA

S.W.L. (AFTER CASING):

LOG ID: 027091

WELL TYPE Private Well

DRILL DATE:

1972/01/08

TOWNSHIP 44N

RANGE

SECTION 13

ELEVATION:

940FT

DRILL DEPTH:

160FT

21W

UTM X 484,409.65

UTM Y 4,271,574.18

DEPTH TO BED:

100FT

20

42

REMARKS:

NO SAMPLES LOGGED - SCANNED - TOPS ONLY

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 027098

WELL TYPE Private Well

1972/02/02

TOWNSHIP

RANGE

SECTION

ELEVATION:

940FT

DRILL DATE: DRILL DEPTH:

170FT

44N

21W 13

UTM X

UTM Y

DEPTH TO BED:

10FT

484,512.65

4,271,586.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

3 MI W OF BAHNER, 1.5 MI N, 0.25 MI W **REMARKS**:

S.W.L. (AFTER CASING):

48



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024765

DRILL DEPTH:

WELL TYPE Private Well

1966/09/ DRILL DATE:

205FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

TOWNSHIP RANGE SECTION 44N

21W 19

ELEVATION:

925FT

UTM X 475,586.66

UTMY 4,270,007.11

ZONE 15

S.W.L. (AFTER CASING): 35

LOG ID: 005701

WELL TYPE Private Well

DRILL DATE:

1939//

TOWNSHIP

TOWNSHIP

44N

SECTION RANGE

ELEVATION:

907FT

DRILL DEPTH:

120FT

44N 21W 3

UTM X

ELEVATION:

UTM X

481,439.64

UTMY

928FT

UTM Y

4,274,049.16

481,239.64 4,274,757.16

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

DEPTH TO BED:

FT

60

FT

REMARKS:

REMARKS:

LOG ID: 005704

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1939/09/25

121FT

50FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

52

FT

REMARKS: 7 MI S OF SEDALIA ON MORA RD

RANGE

21W

LOG ID: 020821

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1962/03/

200FT

TOWNSHIP 44N

RANGE 21W

SECTION

SECTION

3

ELEVATION:

891FT

UTM X 479,525.63

UTM Y 4,275,116.15

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: YIELD - 20 GPM @ 150'

S.W.L. (AFTER CASING):

60

5FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014086

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1955/08/03 DRILL DATE:

140FT

10FT

TOWNSHIP RANGE SECTION 44N

21W 5 **ELEVATION:**

883FT

UTM X 477,217.63

UTMY 4,275,174.13

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

50

REMARKS:

LOG ID: 022035

WELL TYPE Private Well

DRILL DATE:

1963/06/26

TOWNSHIP

RANGE SECTION 5

ELEVATION:

926FT

DRILL DEPTH:

200FT

44N 21W

UTM X

UTMY

DEPTH TO BED: 80FT

476,817.64

4,274,400.13

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

6 MI S OF SEDALIA ON HWY 65 REMARKS:

8 MI S OF SEDALIA

S.W.L. (AFTER CASING):

LOG ID: 013452

WELL TYPE Private Well

DRILL DATE:

1955//

62

60

TOWNSHIP 44N

RANGE 21W

SECTION

ELEVATION:

895FT

DRILL DEPTH:

415FT

7

UTM X 475,723.65

UTM Y 4,272,802.12

DEPTH TO BED:

75FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

013255

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1954//

155FT

25FT

37

TOWNSHIP 44N

RANGE 21W

SECTION

8

ELEVATION:

897FT

UTM X 477,342.64

UTM Y 4,271,747.13

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

5 MI S OF SEDALIA ON HWY 65, 0.75 MI E

2/27/2007

4,123



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023015

WELL TYPE Private Well

1964/08/08 DRILL DATE:

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

909FT

DRILL DEPTH:

245FT

90

21W 8

UTM X

UTMY

DEPTH TO BED:

105FT

476,742.64

4,271,747.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 12 GPM @ 90'

S.W.L. (AFTER CASING):

LOG ID: 015531

WELL TYPE Private Well

DRILL DATE:

1956//

TOWNSHIP

SECTION RANGE

ELEVATION: 871FT

DRILL DEPTH:

320FT

44N 22W 12

UTM X

UTMY

DEPTH TO BED:

15FT

SECTION

12

474,891.66

4,273,251.11 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 7 MI S OF SEDALIA

S.W.L. (AFTER CASING):

LOG ID: 017095

WELL TYPE Private Well

DRILL DATE:

1957/10/05

TOWNSHIP RANGE **ELEVATION:**

898FT

DRILL DEPTH:

120FT

44N 22W

> UTM X UTM Y

DEPTH TO BED:

70FT

473,691.67 4,273,251.11

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

65

FT

LOG ID: 019175

WELL TYPE Private Well

DRILL DATE:

1960/06/

TOWNSHIP

RANGE SECTION **ELEVATION:**

926FT

DRILL DEPTH:

DEPTH TO BED:

285FT

10FT

44N 22W 12

UTM X

UTM Y 4,273,251.11

ZONE 15

474.891.66

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

6 MI S OF SEDALIA ON HWY 65 **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016050

WELL TYPE Private Well

1957// DRILL DATE:

TOWNSHIP 44N

RANGE SECTION 22W

ELEVATION:

887FT

DRILL DEPTH:

DEPTH TO BED:

296FT 50FT 2

UTM X

472,365.67

ZONE 15

UTMY 4,275,163.10

S.W.L. (BEFORE CASING):

LONG 1 X 1.4 MI SECTION **REMARKS**:

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 017090

Private Well

DRILL DATE:

1957/09/09

TOWNSHIP

SECTION RANGE

ELEVATION:

869FT

DRILL DEPTH:

163FT

22W 22 44N

UTM X

UTMY

DEPTH TO BED:

85FT

14

470,728.70

ZONE 15

4,269,951.08

S.W.L. (BEFORE CASING):

FT

7 MI SE OF GREEN RIDGE ON HWY 22 REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 018267

WELL TYPE Private Well

DRILL DATE:

1959/02/

TOWNSHIP

SECTION RANGE

ELEVATION:

943FT

DRILL DEPTH:

225FT

44N 22W

UTM X

UTM Y

DEPTH TO BED:

30FT

63

467,376.74

4,265,840.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

8 MI E OF WINDSOR ON HWY 50, 0.25 MI N; YIELD - 10 GPM @ 165'

32

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028737

Industrial High Capacity Well

DRILL DATE:

1993/03/04

TOWNSHIP 44N

RANGE 22W

SECTION

ELEVATION:

UTM X

469,624.69

740FT

DRILL DEPTH:

1,125FT

UTM Y 4,275,477.09

4,125

DEPTH TO BED:

2/27/2007

FT

REMARKS:

Lost Valley Hatchery Well #1

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

11

Samples were processed and on file but never logged (JEV - 6/11/01)



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006551

WELL TYPE Private Well

DRILL DATE: 1940//

. ___

TOWNSHIP RANGE S

<u>SECTION</u>

ELEVATION:

862FT

DRILL DEPTH:

250FT

5

<u>UTM X</u>

<u>UTM Y</u> 4,275,706.08

468,318.70 4 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

20FT

REMARKS: NEAR GREEN RIDGE

S.W.L. (AFTER CASING):

LOG ID: 015434

WELL TYPE
Private Well

DRILL DATE:

1956/10/03

TOWNSHIP

<u>RANGE</u>

SECTION

5

ELEVATION:

883FT

DRILL DEPTH:

250FT

44N 22W

<u>UTM X</u> 468,118.71

ZONE 15

ZONE 15

<u>UTM Y</u> 4,275,706.08

DEPTH TO BED:

20FT

FT

FT

REMARKS:

2.5 MI E OF GREEN RIDGE ON HWY 3; YIELD - 6 GPM @ 110'

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

.......

60

WELL TYPE

LOG ID: 017293

Private Well

DRILL DATE:

1958/06/17

TOWNSHIP

RANGE SECTION

ELEVATION:

912FT

DRILL DEPTH:

350FT

44N 22W

<u>UTM X</u> 466,130.73 <u>UTM Y</u> 4,274,106.06

<u>DEPTH TO BED:</u>

55FT

100

REMARKS: 0.25 MI E OF GREENRIDGE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

005097

Community Public Well

DRILL DATE:

1938/10/20

TOWNSHIP

RANGE SE

SECTION

6

ELEVATION:

901FT

DRILL DEPTH:

249FT

44N

23W

UTM X

UTM Y

DEPTH TO BED:

25FT

463,956.74

.74 4,275,008.05 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: GREEN RIDGE #1

S.W.L. (AFTER CASING):

85



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006061

WELL TYPE Private Well

1939/12/14 DRILL DATE:

TOWNSHIP 44N

SECTION 1

ELEVATION:

912FT

DRILL DEPTH:

237FT

23W

RANGE

UTM X

UTMY 4,275,008.05

DEPTH TO BED: 167FT

464,756.73

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SE EDGE OF GREEN RIDGE

S.W.L. (AFTER CASING):

LOG ID: 012536

WELL TYPE

Community Public Well

DRILL DATE:

1954/02/02

TOWNSHIP

SECTION RANGE

23W

ELEVATION:

904FT

DRILL DEPTH:

705FT

44N

1

UTM X

UTMY

DEPTH TO BED:

45FT

87

464,316.74

4,274,744.05

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: S SIDE OF CITY PARK, 2 BLKS E, 1 BLK S OF SCHOOL WELL;

LONG SECTION

LOG ID:

WELL TYPE

028288

Community Public Well

DRILL DATE:

1979/09/25

TOWNSHIP

RANGE SECTION **ELEVATION:**

915FT

DRILL DEPTH:

1,030FT

44N 23W

UTM X

UTM Y

DEPTH TO BED:

15FT

464,271.74 4,274,411.05

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

014247

Private Well

DRILL DATE:

1955//

TOWNSHIP

44N

RANGE 23W

SECTION

ELEVATION:

UTM X

929FT

DRILL DEPTH:

DEPTH TO BED:

290FT

35FT

10

UTM Y

460.646.77 4,273,254.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 90



RANGE

23W

23W

RANGE

RT 1, WINDSOR

23W

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022339

DRILL DEPTH:

WELL TYPE Private Well

1963/08/ DRILL DATE:

270FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

44N

FT

REMARKS:

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 85

> **WELL TYPE** Private Well

017998 DRILL DATE:

DRILL DEPTH:

LOG ID:

1959//

44N 330FT

DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING): 103

LOG ID: 015250

WELL TYPE Private Well

DRILL DATE:

1952/06/11

DRILL DEPTH:

469FT

DEPTH TO BED: 125FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 021279

WELL TYPE Private Well

DRILL DATE:

1962/06/21

315FT

DRILL DEPTH:

DEPTH TO BED:

65FT S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

155

REMARKS:

LONG 1 X 1.4 MI SECTION

RANGE

23W

ELEVATION:

UTMY

464,467.74

4,272,207.05

915FT

ZONE 15

formerly in name of Clara Martin - 1.5 MI S OF GREENRIDGE ON HWY

UTM X

127

TOWNSHIP

44N

TOWNSHIP

44N

TOWNSHIP

TOWNSHIP SECTION RANGE ELEVATION:

SECTION

18

SECTION

2

SECTION

12

13

UTM X

UTMY

921FT

463,911.75 4,271,929.05

ZONE 15

ELEVATION:

941FT

UTM X

UTM Y 4,271,739.00

456,732.81

ZONE 15

ELEVATION: 923FT

UTM X

UTM Y 462,345.75 4,275,934.04

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023234

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION**

> 44N 23W

ELEVATION:

919FT

DRILL DEPTH: 441FT

105FT

UTM X 462,945.75

UTMY 4,275,934.04

ZONE 15

S.W.L. (BEFORE CASING):

NEAR GREEN RIDGE; LONG 1 X 1.5 MI SECTION **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 006500

WELL TYPE Private Well

DRILL DATE:

1940/08/20

TOWNSHIP

RANGE

SECTION 22

2

ELEVATION:

929FT

DRILL DEPTH:

230FT

44N 23W

UTM X

UTMY

DEPTH TO BED: 30FT 461,409.78

4,269,225.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5.25 MI S OF GREEN RIDGE

S.W.L. (AFTER CASING): 101

LOG ID: 020698

WELL TYPE

Private Well

DRILL DATE:

1961/10/

TOWNSHIP 23W

RANGE

SECTION

ELEVATION:

923FT

DRILL DEPTH:

387FT

44N

33

UTM X

UTM Y

DEPTH TO BED:

45FT

125

460,068.79

ZONE 15

4,267,185.03

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003735

WELL TYPE Private Well

DRILL DATE:

1936/08/

TOWNSHIP

RANGE

SECTION

ELEVATION:

840FT

DRILL DEPTH:

230FT

45N

20W

UTM X

493.711.72

UTM Y

DEPTH TO BED:

5FT

110

4,283,566.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI NE OF SMITHTON

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014579

WELL TYPE Private Well

1956// DRILL DATE:

TOWNSHIP 45N

RANGE SECTION **ELEVATION:**

862FT

DRILL DEPTH:

DEPTH TO BED:

500FT 10FT 20W 1

UTM X

493,511.72

UTMY 4,284,222.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI N OF SMITHTON ON HWY 135

S.W.L. (AFTER CASING): 125

LOG ID: 016217

WELL TYPE Private Well

DRILL DATE:

1957//

TOWNSHIP

SECTION RANGE

ELEVATION:

837FT

DRILL DEPTH:

280FT

45N 20W 1

UTM X

UTMY

DEPTH TO BED:

493,711.72

4,282,908.31 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 005105

WELL TYPE Industrial High Capacity Well

120

DRILL DATE:

1938/06/09

TOWNSHIP RANGE **SECTION**

ELEVATION:

884FT

DRILL DEPTH:

912FT

45N

20W 11

UTM X UTM Y

DEPTH TO BED:

20FT

491,828.70

4,281,493.29

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

145

REMARKS:

LOG ID:

WELL TYPE Private Well

019483 **DRILL DATE:**

1960/07/28

TOWNSHIP

45N

RANGE SECTION **ELEVATION:**

889FT

DRILL DEPTH:

DEPTH TO BED:

50FT 10FT 20W 11

UTM X UTM Y

491.628.70 4,281,697.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: IN SMITHTON, FORMERLY MAYME SELKEN

S.W.L. (AFTER CASING):

19



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021273

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1962/08/ DRILL DATE:

306FT

15FT

175

TOWNSHIP RANGE SECTION 45N

20W

11

ELEVATION:

884FT

UTM X 492,528.71

UTMY 4,281,799.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

IN SMITHTON; YIELD - 12 GPM @ 205'

LOG ID:

WELL TYPE 013699 Private Well

DRILL DATE:

1955/07/10

110

TOWNSHIP 45N

TOWNSHIP

45N

RANGE

SECTION

SECTION

12

ELEVATION:

841FT

DRILL DEPTH: 700FT

FT

20W 12

UTM X

ELEVATION:

UTM X

493,346.72

ZONE 15

ZONE 15

UTMY 4,282,631.31

865FT

UTM Y

4,282,528.31

493,746.72

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI S OF SMITHTON

S.W.L. (AFTER CASING):

LOG ID: 026027

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1967/09/

280FT 85FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO SAMPLES LOGGED, TOPS ONLY

RANGE

20W

LOG ID:

WELL TYPE

028618

Community Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1983/12/15

1,105FT

10FT

TOWNSHIP

45N

RANGE 20W

SECTION 14

863FT

UTM Y

4,280,994.28

UTM X

ELEVATION:

491.892.70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FΤ 143

FT

120

REMARKS:

2/27/2007

4,131



45N

TOWNSHIP

45N

REMARKS:

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013757

DRILL DEPTH:

WELL TYPE Private Well

1955/04/29 DRILL DATE:

240FT

DEPTH TO BED: 45FT

34

FT

TOWNSHIP RANGE 20W

SECTION

16

SECTION

21

YIELDS, 7 GPM @ 135', 8.25 GPM @ 175'

ELEVATION:

805FT

UTM X 488,549.67

UTMY 4,279,823.25

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 016218

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1957//

75

400FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

33

FT **REMARKS:**

LOG ID: 021457

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 100FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 025140

WELL TYPE Private Well

DRILL DATE:

1967/04/15

20FT

12

DRILL DEPTH: 110FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

REMARKS:

7 MI SE OF SEDALIA ON HWY CC

ELEVATION:

806FT **UTMY**

UTM X 489,689.68

4,279,029.25

ZONE 15

RANGE

20W

TOWNSHIP 45N

TOWNSHIP

45N

RANGE 20W

2 MI W OF SMITHTON

RANGE

20W

SECTION 22

SECTION

30

ELEVATION:

833FT

UTM X 490,107.68

UTM Y 4,279,360.26

ZONE 15

ELEVATION: 782FT

UTM X UTM Y

485,000.65 4,277,739.21

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025009

WELL TYPE Private Well

1966/10/ DRILL DATE: **TOWNSHIP RANGE SECTION**

> 45N 20W

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 20FT 488,953.67 4,276,021.23

33

ZONE 15

ELEVATION:

834FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

170FT

S.W.L. (AFTER CASING): 22

LOG ID: 017503

WELL TYPE Private Well

DRILL DATE: 1985/08/28 **TOWNSHIP SECTION RANGE ELEVATION:** 840FT

45N 20W 36 DRILL DEPTH: 250FT

UTM X **UTMY** DEPTH TO BED: 10FT 494,193.69 4,276,214.28

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 165

LOG ID: 024890

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 868FT

45N 20W 4 **DRILL DEPTH:** 425FT

UTM X UTM Y

DEPTH TO BED: 20FT 489,452.69 4,283,045.27

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** MONSEES LAKE DEVELOPMENT

S.W.L. (AFTER CASING):

LOG ID: 022027

WELL TYPE Private Well

1963/06/ **TOWNSHIP RANGE SECTION DRILL DATE: ELEVATION:** 908FT

45N

DRILL DEPTH: 300FT UTM X UTM Y

20W

6

DEPTH TO BED: 10FT 485,818.66 4,283,146.24 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 2 MI E OF SEDALIA ON HWY 50

S.W.L. (AFTER CASING): 150



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000281

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

215FT

20FT

TOWNSHIP RANGE SECTION 45N 20W

ELEVATION:

928FT

UTM X 486,367.67

UTMY 4,282,812.24

ZONE 15

S.W.L. (BEFORE CASING):

WS PAPER #195, P. 99 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 013746

WELL TYPE Private Well

DRILL DATE:

1955/05/10

TOWNSHIP

SECTION RANGE

ELEVATION:

899FT

DRILL DEPTH:

305FT

45N 20W

UTM X

UTMY

DEPTH TO BED: 15FT

486,567.67

4,283,024.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 10.75 GPM @ 160' REMARKS:

S.W.L. (AFTER CASING): 120

LOG ID: 026848

WELL TYPE

Community Public Well

DRILL DATE:

1971/03/05

TOWNSHIP RANGE **SECTION** 7

7

ELEVATION:

882FT

DRILL DEPTH:

495FT

45N 20W

UTM X

UTM Y

DEPTH TO BED:

10FT

486,567.67

4,281,752.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly referred to as Monsees Subdivision

140 S.W.L. (AFTER CASING):

LOG ID: 027639

WELL TYPE Private Well

DRILL DATE:

1970/12/

TOWNSHIP

RANGE

SECTION

ELEVATION:

879FT

DRILL DEPTH:

DEPTH TO BED:

240FT

15FT

45N 20W

UTM X

UTM Y

485.867.66

4,282,282.23

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOCATION UNKNOWN, MAY BE EITHER SECTION 7 OR 8

2/27/2007

4,134



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003445

WELL TYPE Private Well

1935/08/ DRILL DATE:

TOWNSHIP 45N

REMARKS:

RANGE SECTION 20W 8

ELEVATION:

895FT

DRILL DEPTH:

130FT

UTM X

UTMY 4,282,317.25

DEPTH TO BED: 10FT 487,395.67

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 020822

WELL TYPE Private Well

DRILL DATE:

1961/12/15

TOWNSHIP

SECTION RANGE

ELEVATION:

892FT

DRILL DEPTH:

270FT

45N 20W

UTM X

UTMY

15FT

9

489,805.69

ZONE 15

4,282,055.27

DEPTH TO BED:

160

FT

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 006059

Private Well

DRILL DATE:

1939/08/07

TOWNSHIP

RANGE

SECTION 10

ELEVATION:

838FT

DRILL DEPTH:

75FT

45N 21W

UTM X 481,699.63

UTM Y 4,282,265.19

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

12FT

13

REMARKS:

IN SEDALIA, 24TH & NEW YORK STS

ZONE 15

LOG ID: 005451

WELL TYPE Private Well

DRILL DATE:

1939/06/08

TOWNSHIP

RANGE

SECTION

ELEVATION:

872FT

DRILL DEPTH:

DEPTH TO BED:

110FT

15FT

45N

21W 11 UTM X

UTM Y

482.915.64 4,282,186.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

24TH & MARSHALL AVE, SEDALIA

S.W.L. (AFTER CASING):

28



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010875

DRILL DEPTH:

WELL TYPE

Community Public Well

DRILL DATE: 1949/04/

150FT

DEPTH TO BED: 15FT

TOWNSHIP RANGE SECTION
45N 21W 11

<u>UTM X</u> <u>UTM Y</u>

ELEVATION:

481,915.63 4,281,778.19

ZONE 15

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SE PLANT; 28TH NEW YORK ST, E. OF HWY 65, S SEDALIA

S.W.L. (AFTER CASING):

LOG ID: 016310

WELL TYPE Private Well

DRILL DATE:

1957/07/

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

868FT

816FT

DRILL DEPTH:

540FT

45N 21W 13

<u>UTM X</u> 484,061.65 <u>UTM Y</u> 4,281,226.21

DEPTH TO BED:

S.W.L. (BEFORE CASING):

10FT

FT

FT

REMARKS:

REMARKS:

(S: SOUTHERN HILLS SUBDIVISION, SE SEDALIA (SEE #24644)

S.W.L. (AFTER CASING): 115

LOG ID: 020152

WELL TYPE

Private Well

DRILL DATE:

1961/07/26

1961/07/26

<u>TOWNSHIP</u>

<u>RANGE</u>

SECTION

ELEVATION:

816FT

DRILL DEPTH:

200FT

45N

21W 13

<u>UTM X</u> 483,461.64 <u>UTM Y</u> 4,280,510.20

DEPTH TO BED:

5FT

80

0.25 MI W OF HWY C, 2 MI SE OF SEDALIA

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

022225

1963/07/

TOWNSHIP

RANGE

SECTION

ELEVATION:

842FT

DRILL DATE:
DRILL DEPTH:

DEPTH TO BED:

160FT

10FT

50

45N

21W 13

UTM X

483.861.65

<u>UTM Y</u> 4,280,306.21

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: 2.5 MI S OF HWY 50 ON HWY C



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022321

WELL TYPE Private Well

1963/09/ DRILL DATE:

TOWNSHIP 45N

SECTION

ELEVATION:

846FT

DRILL DEPTH:

190FT

21W 13

RANGE

UTM X

UTMY 4,280,510.21

DEPTH TO BED:

10FT

13

SECTION

13

483,861.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

formerly in name of D.L. Parks - 2 MI S OF HWY 50 ON HWY CC **REMARKS:**

S.W.L. (AFTER CASING):

50

LOG ID: 023051

WELL TYPE

Community Public Well

DRILL DATE:

1964/09/

TOWNSHIP

RANGE

SECTION ELEVATION: 851FT

DRILL DEPTH:

465FT

45N 21W

UTM X

UTMY 4,280,661.21

483,993.65

DEPTH TO BED:

30FT

100

REMARKS:

NEAR SEDALIA - south central

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 024644

Community Public Well

DRILL DATE:

1966/12/03

TOWNSHIP 45N

RANGE

ELEVATION:

835FT

UTM Y

DRILL DEPTH:

550FT

21W

UTM X

DEPTH TO BED:

45FT

484,767.65 4,280,216.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 2 MI SE OF SEDALIA, SOUTHWOOD ACRES

S.W.L. (AFTER CASING):

85

LOG ID: 025313

WELL TYPE Private Well

DRILL DATE:

1967/05/

TOWNSHIP

RANGE

SECTION 13

ELEVATION:

875FT

DRILL DEPTH:

215FT

5FT

45N 21W

UTM X

UTM Y 4,280,918.22

484.861.65

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS:

3 MI SE OF SEDALIA; YIELD - 18 GPM @ 125'

S.W.L. (AFTER CASING):

102



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022681

DRILL DEPTH:

WELL TYPE Private Well

1964/02/ DRILL DATE:

S.W.L. (BEFORE CASING):

193FT

DEPTH TO BED: 5FT

FT

FT

FT

TOWNSHIP RANGE SECTION 45N

21W 14 **ELEVATION:**

836FT

UTM X 483,062.64

UTMY 4,280,576.20

ZONE 15

2.5 MI S OF HWY 50 ON HWY C, 0.5 MI W; YIELD - 12 GPM @ 135'

S.W.L. (AFTER CASING): 70

LOG ID: 022682

WELL TYPE Private Well

DRILL DATE:

1964/01/

TOWNSHIP

RANGE

SECTION 14

ELEVATION:

835FT

DRILL DEPTH:

193FT

45N 21W

> **UTM X** 483,262.64

UTMY 4,280,576.20

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

90

REMARKS:

REMARKS:

formerly in name of Doyle Furnell - 2.5 MI S OF HWY 50 ON HWY C,

0.5 MI W

LOG ID: 022684

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1964/02/

185FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

90

TOWNSHIP

45N

RANGE

21W

SECTION 14

ELEVATION:

833FT

UTM X

UTM Y 4,280,576.20

483,062.64

ZONE 15

ZONE 15

formerly in name of Doyle Furnell - 2.5 MI S OF HWY 50 ON HWY C.

0.5 MI W; YIELD - 24 GPM @ 135'

LOG ID: 025309

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1967/08/

150FT

10FT

TOWNSHIP 45N

REMARKS:

RANGE

SECTION 14

ELEVATION:

813FT

21W

UTM X

UTM Y

483,262.64 4,280,376.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI SE OF SEDALIA

S.W.L. (AFTER CASING): 43



RANGE

21W

SECTION

14

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

483,159.64

ZONE 15

LOG ID: 027543

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH: 405FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

68

REMARKS:

S.W.L. (AFTER CASING):

FT 110

LOG ID: 016376

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1957/07/

TOWNSHIP

FT

FT

FT

15FT

1,506FT

45N

TOWNSHIP

45N

TOWNSHIP

45N

RANGE 21W

SECTION ELEVATION: 15

UTM X

UTMY 4,280,137.17

809FT

UTM Y

4,281,157.16

781FT

845FT

UTMY

4,280,830.20

480,443.63 ZONE 15

ELEVATION:

UTM X

479,027.62

S.W.L. (BEFORE CASING):

60

REMARKS:

north of filter plant - ELECTRIC LOG

RANGE

21W

S.W.L. (AFTER CASING):

LOG ID: 005005

WELL TYPE

Private Well

1938/08/19

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

87FT

15FT

S.W.L. (BEFORE CASING):

19

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

005703

WELL TYPE Private Well

1939//

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

75FT

5FT

15

TOWNSHIP 45N

RANGE SECTION 21W

16

SECTION

16

ELEVATION:

478,827.61

816FT

UTM X

UTM Y 4,281,363.16

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: ON OLD GRAND AVE. RD.



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006491

WELL TYPE Private Well

1940/10/15 DRILL DATE:

TOWNSHIP 45N

SECTION

ELEVATION:

848FT

DRILL DEPTH:

125FT

21W 16

RANGE

UTMY

DEPTH TO BED:

10FT

48

UTM X 478,827.62

4,280,747.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022028

WELL TYPE Private Well

DRILL DATE:

1963/05/

TOWNSHIP

SECTION RANGE

ELEVATION:

834FT

DRILL DEPTH:

200FT

45N 21W

UTM X

ZONE 15

ZONE 15

479,827.62

UTMY 4,281,363.17

DEPTH TO BED:

5FT

75

REMARKS:

35TH S. KENTUCKY, 2 MI FROM SEDALIA

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 006519

Noncommunity Public Well

DRILL DATE:

1940/10/

TOWNSHIP

RANGE

SECTION

16

ELEVATION:

879FT

DRILL DEPTH:

309FT

45N 21W 17

UTM X 478,014.61

UTM Y 4,281,034.15

DEPTH TO BED:

15FT

S OF SEDALIA ON HWY 65; YIELD "STRONG"

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

007247

Noncommunity Public Well

DRILL DATE:

1941//

TOWNSHIP

RANGE

SECTION 17

ELEVATION:

873FT

DRILL DEPTH:

305FT

45N

21W

UTM X

UTM Y

DEPTH TO BED:

35FT

478.014.61

4,280,830.15 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

2 MI S OF SEDALIA; MAY BE IN WRONG COUNTY

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021992

DEPTH TO BED:

WELL TYPE Private Well

1963/05/30 DRILL DATE:

TOWNSHIP 45N

RANGE SECTION 21W 18

ELEVATION:

804FT

UTMY

DRILL DEPTH: 150FT

UTM X

476,577.63 4,280,278.14

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

1 MI SW OF SEDALIA; YIELD - 7.5 GPM @ 90' **REMARKS**:

S.W.L. (AFTER CASING): 30

LOG ID: 022032

WELL TYPE Private Well

DRILL DATE:

1963/06/

TOWNSHIP

SECTION RANGE

ELEVATION:

850FT

DRILL DEPTH:

150FT

25FT

45N 21W

> **UTM X** 475,377.63

UTM Y 4,281,748.14

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

29

REMARKS:

formerly in name of D.L. Gutzen - 3 MI W OF HWY 65 ON 32ND ST

RD, SEDALIA

LOG ID: 001943

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

TOWNSHIP RANGE **SECTION** 2

18

ELEVATION:

908FT

DRILL DEPTH:

826FT

45N 21W

UTM X

UTM Y

DEPTH TO BED:

18FT

482,964.64

4,284,080.21

S.W.L. (BEFORE CASING):

REMARKS:

NOT IN USE IN 1942 - ABANDONED

S.W.L. (AFTER CASING):

LOG ID: 004202

WELL TYPE Private Well

DEPTH TO BED:

1937/00/00

TOWNSHIP

RANGE SECTION

2

ELEVATION:

910FT

4,141

DRILL DATE: DRILL DEPTH:

132FT 30FT 45N 21W

UTM X UTM Y 482.164.63 4,283,864.20

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

4TH & BABCOCK ST, SEDALIA - ONE SAMPLE AT 30' **REMARKS**:

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017262

WELL TYPE Private Well

1958// DRILL DATE:

TOWNSHIP 45N

RANGE SECTION **ELEVATION:**

807FT

DRILL DEPTH:

265FT

21W 20

UTM X

UTMY 4,279,418.15

DEPTH TO BED:

50FT

478,158.62

ZONE 15

S.W.L. (BEFORE CASING):

2 MI S OF SEDALIA ON HWY 65 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 019830

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1961/02/16

TOWNSHIP

RANGE

SECTION

ELEVATION:

810FT

DRILL DEPTH:

200FT

45N 21W 20

UTM X 478,023.62

UTMY 4,279,433.15

DEPTH TO BED:

10FT

50

FT

REMARKS:

formerly in name of Sandman Motel owned by Adrian & Gary Gifford

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 022331

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 45N

RANGE

SECTION

ELEVATION:

833FT

DRILL DEPTH:

185FT

21W 20

UTM X

UTM Y

DEPTH TO BED:

15FT

477,958.62

4,279,620.15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

LOG ID: 027165

WELL TYPE Irrigation Well

DRILL DATE:

1972/06/29

TOWNSHIP 45N

RANGE

SECTION

ELEVATION:

850FT

DRILL DEPTH:

DEPTH TO BED:

273FT

25FT

21W 20

UTM X

478.158.61

ZONE 15

UTM Y 4,280,026.15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

350 YDS E OF HWY 65; DOYLE FURNELL, DEVELOPER



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028264

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1979/07/25

475FT

DEPTH TO BED: 10FT **TOWNSHIP RANGE SECTION** 45N 21W

20

ELEVATION:

850FT

UTM X 477,958.62

UTMY 4,280,026.15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUTION DATA

S.W.L. (AFTER CASING):

LOG ID: 000284

WELL TYPE

Community Public Well

DRILL DATE:

DEPTH TO BED:

511FT

25FT

TOWNSHIP 45N

RANGE 21W

SECTION 22

ELEVATION:

783FT

DRILL DEPTH:

UTM X

UTMY 4,279,239.17

480,190.63 ZONE 15

S.W.L. (BEFORE CASING):

NO IUNITS IDENTIFIED **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 001810

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH:

475FT

TOWNSHIP 45N 21W

RANGE SECTION **ELEVATION:**

772FT

22

UTM X

UTM Y

DEPTH TO BED:

25FT

480,290.63

4,279,764.17

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

001811 Community Public Well

DRILL DATE:

TOWNSHIP

RANGE SECTION

22

ELEVATION:

480,547.63

772FT

DRILL DEPTH:

DEPTH TO BED:

460FT 125FT

45N 21W

UTM X

UTM Y 4,279,526.17

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

south of Well #6 - 3 MI S OF SEDALIA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001827

WELL TYPE

Community Public Well

DRILL DATE: 1914//

TOWNSHIP 45N <u>SECTION</u>

ELEVATION:

791FT

DRILL DEPTH:

464FT

21W 22

UTM X

<u>UTM Y</u> 4,279,764.17

DEPTH TO BED:

105FT

480,290.63

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO UNITS IDENTIFIED - WATER WORKS WELL

RANGE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012283 Community Public Well

DRILL DATE:

1953//

TOWNSHIP

RANGE SECTION

ELEVATION:

791FT

DRILL DEPTH:

45N

21W

UTM X

UTM Y

DEPTH TO BED:

105FT

5

1,530FT

480,520.63

ZONE 15

4,279,582.17

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT REMARKS:

near supply house - OLD WELL (1914) DEEPENED 460-1530'; 3 MI S

22

OF SEDALIA ON FLAT CREEK

LOG ID:

WELL TYPE

012960

Community Public Well

DRILL DATE:

1954/09/

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

769FT

DRILL DEPTH:

1,516FT

45N

21W

22

EEE V/ (IIIOI).

DRILL DEF III.

- . - . .

<u>UTM X</u> 480,137.63

ZONE 15

ZONE 15

<u>UTM Y</u> 4,279,527.17

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

24FT

REMARKS: west of

west of pump station

79

FT

FT

LOG ID:

WELL TYPE

022683

Private Well

DRILL DATE:

1963/11/

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

849FT

DRILL DEPTH:

1300/11/

45N

21W

UTM X

482.301.64

<u>UTM Y</u> 4,279,774.19

DEPTH TO BED:

10FT

200FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

101

REMARKS: 3 MI SE OF SEDALIA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012854

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1954/05/29 DRILL DATE:

210FT

70

10FT

TOWNSHIP 45N

RANGE 21W

SECTION 29

ELEVATION:

875FT

UTM X 477,107.63

UTMY 4,277,198.14

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

REMARKS:

3 MI FROM SEDALIA ON HWYS 50 & 65; YIELD - 16 GPM @ 175'

LOG ID: 012855

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1954/06/08

FT

FT

TOWNSHIP

RANGE

SECTION

ELEVATION:

872FT

210FT

15FT

45N

21W 29

UTM X

UTMY 4,277,095.14

477,007.63

DEPTH TO BED: S.W.L. (BEFORE CASING):

60

REMARKS: HYIELD - 18 GPM @ 130'

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 017476

1958/08/

DRILL DATE:

10FT

TOWNSHIP 45N

RANGE

SECTION

ELEVATION:

841FT

DRILL DEPTH: DEPTH TO BED: 500FT

21W

29

UTM X

UTM Y

477,707.62 4,278,020.14 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

65

REMARKS:

formerly in name of Kay Storey - NO PRODUCTION

LOG ID: 021432

WELL TYPE Private Well

DRILL DATE:

1962/11/

35

TOWNSHIP

RANGE

SECTION

ELEVATION:

828FT

DRILL DEPTH:

DEPTH TO BED:

200FT

10FT

45N

21W

29

UTM X

UTM Y

477,507.62

4,278,329.14

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

YIELD - 31 GPM @ 90' **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021478

WELL TYPE Private Well

1962/09/ DRILL DATE:

TOWNSHIP 45N

ELEVATION:

797FT

DRILL DEPTH: DEPTH TO BED: 173FT 20FT 21W 29

SECTION

RANGE

UTM X

477,707.62

UTMY 4,278,432.15

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

20

LOG ID: 022208

WELL TYPE Private Well

DRILL DATE:

1963/08/

TOWNSHIP

SECTION RANGE

ELEVATION:

885FT

DRILL DEPTH:

275FT

45N 21W

> UTM X 477,307.63

UTMY 4,277,404.14

DEPTH TO BED:

15FT

60

REMARKS:

4 MI S OF SEDALIA ON HWY 56; YIELD - 18 GPM @ 100'

29

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022328

Private Well

DRILL DATE:

1963/10/09

TOWNSHIP

RANGE

SECTION 29

ELEVATION:

830FT

DRILL DEPTH:

175FT

45N 21W

UTM X 477,507.62

UTM Y 4,278,226.14

DEPTH TO BED:

20FT

100

REMARKS:

formerly in name of Jim Garrison - 1.5 MI S OF SEDALIA ON HWY 65

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 000283

WELL TYPE Unknown Well

DRILL DATE:

1893/00/00

TOWNSHIP 45N

RANGE

SECTION 3

ELEVATION:

909FT

DRILL DEPTH:

DEPTH TO BED:

1,612FT 30FT

21W

UTM X 480.844.62 UTM Y

MAY BE LOG OF CORE TEST DONE BY STATE IN 1893,

4,283,599.19 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LAFAYETTE & 10TH STS



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005621

WELL TYPE

Industrial High Capacity Well

1939/09/ DRILL DATE:

TOWNSHIP RANGE 45N

ELEVATION:

903FT

DRILL DEPTH:

904FT

21W 3

> **UTM X UTMY**

DEPTH TO BED:

20FT

480,344.62

4,284,577.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

IN SEDALIA, 0.5 BLK E OF LAMINA AVE ON N SIDE OF E 3RD ST. **REMARKS**:

3

SECTION

S.W.L. (AFTER CASING):

210

LOG ID: 005991

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1940/04/

TOWNSHIP

SECTION RANGE

ELEVATION:

910FT

DRILL DEPTH:

702FT

45N 21W

> **UTM X** 480,344.62

UTM Y 4,284,143.19

DEPTH TO BED:

20FT

ZONE 15

S.W.L. (BEFORE CASING):

185

REMARKS:

5TH ST & MKT RR TRACKS, SEDALIA

S.W.L. (AFTER CASING):

LOG ID:

025276

WELL TYPE Private Well

DRILL DATE:

1967/08/

TOWNSHIP

RANGE SECTION **ELEVATION:**

865FT

DRILL DEPTH:

205FT

45N 21W

UTM X 481,644.63

UTM Y 4,283,382.20

DEPTH TO BED:

10FT

120

SE OF SEDALIA CITY LIMITS; YIELD @180'

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

014083

Private Well

1955//

TOWNSHIP 45N

REMARKS:

RANGE 21W

SECTION

3

ELEVATION:

886FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

165FT

31

UTM X UTM Y

ZONE 15

476,576.64

4,276,286.13 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

5 MI S OF SEDALIA ON HWY 65 **REMARKS**:

2/27/2007

4,147



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020217

DRILL DEPTH:

WELL TYPE Private Well

1961/08/11 DRILL DATE:

135FT

70

DEPTH TO BED: 10FT

FT

FT

TOWNSHIP RANGE 45N 21W

SECTION 31

ELEVATION:

875FT

UTM X 475,676.64

UTMY 4,275,422.12

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

4 MI S OF SEDALIA ON HWY 65 TO ANDERSON SCH, 0.75 MI W

S.W.L. (AFTER CASING):

LOG ID: 021014

WELL TYPE Private Well

DRILL DATE:

1962/04/

TOWNSHIP

RANGE

SECTION 31

ELEVATION:

884FT

DRILL DEPTH:

200FT

45N 21W

> **UTM X** 476,576.63

UTMY 4,276,502.13

DEPTH TO BED:

10FT

77

REMARKS:

5 MI S OF SEDALIA ON HWY 65, WHISPERING OAKS

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004829

S.W.L. (BEFORE CASING):

Private Well

DRILL DATE:

1938/05/04

TOWNSHIP 45N

RANGE 21W

SECTION 32

ELEVATION:

898FT

DRILL DEPTH:

82FT

UTM X

476,849.63

UTM Y 4,276,191.13

DEPTH TO BED:

15FT

ZONE 15

ZONE 15

S.W.L. (AFTER CASING):

15

FT

REMARKS: 6 MI S OF SEDALIA ON HWY 65

LOG ID:

WELL TYPE Private Well

017820 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1958/08/

TOWNSHIP

REMARKS:

RANGE

SECTION

ELEVATION:

894FT

466FT 40FT 45N 21W 32

UTM X

477.049.63

UTM Y 4,276,821.14

ZONE 15

formerly in name of Selsar Monsees - 3 MI S OF SEDALIA ON HWY 65

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

477,249.63

ELEVATION:

UTM X

477,449.63

ELEVATION:

UTM X

478,655.63

ZONE 15

ZONE 15

ZONE 15

865FT

UTMY

4,275,351.13

864FT

UTMY

4,275,351.14

812FT

UTM Y

4,275,237.14

LOG ID: 020088

DRILL DEPTH:

WELL TYPE Private Well

1961/08/04 DRILL DATE:

110FT

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

60

FT

REMARKS:

TOWNSHIP

TOWNSHIP

TOWNSHIP

45N

45N

45N

formerly in name of Claude North - 4 MI S OF SEDALIA ON HWY 65

RANGE

21W

TO ANDERSON SCH., 0.5 MI E

LOG ID: 020218

WELL TYPE Private Well

DRILL DATE:

1961/08/21

110FT

DRILL DEPTH:

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

45

FT

REMARKS:

REMARKS:

formerly in name of Earl Gentry - 4 MI S OF SEDALIA ON HWY 65 TO

SECTION

33

SECTION

32

SECTION

32

ANDERSON SCH., 0.5 MI E

RANGE

21W

Grand & Anderson Shoal Rd

RANGE

21W

LOG ID: 021765

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH:

1963//

1.465FT

5FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 025462

Private Well

DRILL DATE:

1967/02/

DRILL DEPTH:

200FT

15FT

65

FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

TOWNSHIP 45N

RANGE 21W

SECTION 34

ELEVATION:

875FT

UTM X

481.488.64

UTM Y 4,275,692.17

ZONE 15

REMARKS: formerly in name of Murrel Fiette



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002008

WELL TYPE

Community Public Well

1916/04/ DRILL DATE:

TOWNSHIP RANGE SECTION 45N

21W

ELEVATION:

885FT

UTMY

DRILL DEPTH:

815FT 15FT

UTM X 4,284,869.18

479,541.61

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

@ ICE PLANT, MAIN & MONITEAU STS, SEDALIA **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 002720

WELL TYPE

Industrial High Capacity Well

50

DRILL DATE:

1933/05/

TOWNSHIP

SECTION RANGE 4

ELEVATION:

908FT

DRILL DEPTH:

900FT

45N 21W

UTM X

UTMY

DEPTH TO BED: 605FT 480,141.62

4,284,227.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: @ SEDALIA; OLD WELL DEEPENED 605-900'

S.W.L. (AFTER CASING): 166

LOG ID:

WELL TYPE

007687

Industrial High Capacity Well

DRILL DATE:

1942/05/

TOWNSHIP

RANGE SECTION **ELEVATION:**

908FT

DRILL DEPTH:

1,180FT

45N 21W 4

UTM X 480,141.62

UTM Y 4,284,227.18

DEPTH TO BED:

30FT

194

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

IN SEDALIA, 200' NW OF WELL #1 (#2720), BETWEEN 5TH & 6TH

LOG ID:

005702

Noncommunity Public Well

DRILL DATE:

1939//

WELL TYPE

TOWNSHIP

RANGE SECTION **ELEVATION:**

818FT

DRILL DEPTH:

162FT

45N 21W 5

UTM X

UTM Y 4,284,300.16

477,126.61

ZONE 15

DEPTH TO BED:

25FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

60

FT

REMARKS: S SD HWY 50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007898

WELL TYPE

Industrial High Capacity Well

1942// DRILL DATE:

TOWNSHIP 45N

RANGE SECTION 5

ELEVATION:

868FT

DRILL DEPTH:

830FT

21W

UTM X

UTMY

DEPTH TO BED:

20FT

478,326.61

4,283,870.16

ZONE 15

S.W.L. (BEFORE CASING):

0.25 MI S OF JCT HWYS 50 & 65 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 026626

WELL TYPE

Noncommunity Public Well

DRILL DATE:

REMARKS:

TOWNSHIP SECTION RANGE 45N 5

ELEVATION:

812FT

DRILL DEPTH:

690FT

21W

UTM X

UTMY

DEPTH TO BED:

15FT

477,126.61

4,284,300.16 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

013260

Noncommunity Public Well

DRILL DATE:

1954//

TOWNSHIP

RANGE SECTION **ELEVATION:**

827FT

DRILL DEPTH:

300FT

45N 21W

> UTM X 475,512.62

> > ZONE 15

UTM Y 4,284,977.14

DEPTH TO BED:

15FT

REMARKS: 2 MI W OF SEDALIA @ JCT. HWY 50 & MAIN ST. RD

6

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

60

028581

WELL TYPE

Community Public Well

DRILL DATE:

1983/05/17

TOWNSHIP 45N

RANGE

SECTION

ELEVATION:

850FT

DRILL DEPTH:

1,655FT

21W 6

UTM X

UTM Y 4,283,720.15

476,504.62 ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

168

FT

REMARKS:

2/27/2007

4,151



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005018

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1938/08/26 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 875FT

190FT 45N 21W 7

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 15FT 476,356.62 4,282,844.15

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W OF FAIRGROUNDS, OLD POWELL FARM; YIELD - 7 GPM @

S.W.L. (AFTER CASING): 85 145'

LOG ID: 005508

WELL TYPE Private Well

DRILL DATE: 1939/07/21 TOWNSHIP RANGE SECTION ELEVATION: 864FT

DRILL DEPTH: 270FT 45N 21W 7

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 160FT 476,256.62 4,282,536.15

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL TO 165'

S.W.L. (AFTER CASING): 80

LOG ID:

WELL TYPE

027443 Noncommunity Public Well

<u>DRILL DATE:</u> 1973/08/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 850FT

DRILL DEPTH: 710FT 45N 21W 8

UTM X UTM Y

<u>DEPTH TO BED:</u> 10FT 478,077.61 4,282,248.16

POOR SAMPLES - "DESTROYED BY TORNADO"

9

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

014080 Private Well

DRILL DATE: 1955/09/ <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 845FT

45N

DRILL DEPTH: 175FT UTM X UTM Y

21W

<u>DEPTH TO BED:</u> 15FT 478,880.61 4,281,754.16

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI SW OF SEDALIA

S.W.L. (AFTER CASING): 76



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016118

WELL TYPE Private Well

1957/04/30 DRILL DATE:

TOWNSHIP RANGE 45N 21W

ELEVATION:

888FT

DRILL DEPTH:

300FT

150

SECTION

9

UTMY

DEPTH TO BED: 10FT

UTM X 479,580.62

4,283,176.18

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE

Community Public Well

027873 DRILL DATE:

1975/01/13

TOWNSHIP

SECTION RANGE

9

ELEVATION:

903FT

DRILL DEPTH:

1,600FT

45N 21W

UTM X

UTMY

DEPTH TO BED:

10FT

165

479,319.61

4,282,736.17

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

021009

1962/06/

TOWNSHIP

RANGE SECTION **ELEVATION:**

818FT

DRILL DEPTH:

205FT

45N 22W

UTM X 475,329.62

UTM Y 4,285,114.14

DEPTH TO BED:

25FT

70

REMARKS: JCT OF MAIN ST & HWY 50W

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

022231 **DRILL DATE:**

1963/07/

TOWNSHIP

RANGE

SECTION

ELEVATION:

851FT

DRILL DEPTH:

285FT

45N

22W 10 UTM X

470,612.66

UTM Y

DEPTH TO BED:

35FT

4,283,630.10

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

85

REMARKS: YIELD - 18 GPM @ 160'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014081

WELL TYPE Private Well

DRILL DATE: 1955/09/

TOWNSHIP 45N **SECTION**

ELEVATION:

836FT

DRILL DEPTH:

185FT

22W 11

RANGE

UTM X

472,710.65

<u>UTM Y</u> 4,282,924.12

REMARKS:

S.W.L. (BEFORE CASING):

DEPTH TO BED:

5FT

ZONE 15

ONE 15

FT

S.W.L. (AFTER CASING): 69

LOG ID: 020109

WELL TYPE Private Well

DRILL DATE:

1961/07/05

TOWNSHIP

RANGE

SECTION 11 **ELEVATION**:

832FT

DRILL DEPTH:

135FT

45N 22W

UTM X

<u>UTM Y</u> 4,283,429.13

DEPTH TO BED:

25FT

90

473,510.64

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 3 MI W OF SEDALIA ON 16TH ST RD.

S.W.L. (AFTER CASING):

LOG ID:

021275

WELL TYPE Private Well

DRILL DATE:

1962/01/

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

828FT

DRILL DEPTH:

235FT

15FT

45N 22W 11

<u>UTM X</u> <u>UTM Y</u> 472,810.65 4,283,530.12

ZONE 15

DEPTH TO BED:

66

REMARKS:

formerly in name of L.O. Griffith Jr. - YIELD - 23 GPM @ 150'

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025698

Noncommunity Public Well

DRILL DATE:

1968/07/22

TOWNSHIP 45N <u>RANGE</u>

SECTION

ELEVATION:

795FT

DRILL DEPTH:

DEPTH TO BED:

615FT

130FT

22W 11

UTM X

UTM Y

473,410.64 4 ZONE 15

4,283,530.12

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Sedalia Golf Course - "CAN PUMP UP TO 100

GPM FOR LENGTHY PERIODS"

S.W.L. (AFTER CASING): 45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018827

WELL TYPE Private Well

1959// DRILL DATE:

TOWNSHIP 45N

RANGE SECTION 13

ELEVATION:

900FT

DRILL DEPTH:

325FT

UTMY

DEPTH TO BED:

35FT

22W

UTM X 474,354.64

4,280,385.13

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: SW OF SEDALIA

120

LOG ID: 015530

WELL TYPE Private Well

DRILL DATE:

1956/09/

TOWNSHIP

SECTION RANGE

ELEVATION:

811FT

DRILL DEPTH:

346FT

45N 22W

UTM X

UTMY

DEPTH TO BED:

25FT

3

471,294.66 4,285,232.11

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

022709

WELL TYPE

Private Well

DRILL DATE:

1963/11/18

TOWNSHIP

RANGE SECTION **ELEVATION:**

920FT

DRILL DEPTH:

230FT

45N 22W 33

UTM X

UTM Y

DEPTH TO BED:

40FT

468,685.70 4,277,263.08

ZONE 15

S.W.L. (BEFORE CASING):

150

FT

REMARKS: 5 MI SW OF SEDALIA

S.W.L. (AFTER CASING):

LOG ID: 024730

WELL TYPE Private Well

DRILL DATE:

1965/06/28

TOWNSHIP 45N

RANGE

SECTION

ELEVATION:

835FT

DRILL DEPTH:

302FT

35FT

23W 16

UTM X

UTM Y

460.471.75

4,281,825.02

ZONE 15

FT

4 MI N, 3 MI W OF GREEN RIDGE, 2.5 MI W OF HWY 127 **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

DEPTH TO BED:

96



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021964

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1963/04/20 DRILL DATE:

621FT

130FT

TOWNSHIP 45N

RANGE 23W

SECTION 18

ELEVATION:

849FT

UTM X

UTMY 4,281,918.99

456,563.78

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

014246

WELL TYPE Private Well

DRILL DATE:

LOG ID:

1955/10/08

TOWNSHIP

REMARKS:

RANGE

NEAR KNOB NOSTER

SECTION 2

ELEVATION:

857FT

DRILL DEPTH:

225FT

45N 23W

> **UTM X** 462,671.72

UTMY

DEPTH TO BED:

35FT

FT

4,284,652.04 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

120

REMARKS:

LOG ID: 013616

WELL TYPE Private Well

DRILL DATE:

1955/01/00

TOWNSHIP 45N

RANGE 23W

SECTION

ELEVATION:

868FT

DRILL DEPTH:

320FT

22

UTM X 460,791.75

UTM Y 4,280,318.03

DEPTH TO BED:

35FT

FT

REMARKS: 3 MI NW OF GREEN RIDGE

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

019869

Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

80

TOWNSHIP 45N

RANGE 23W

SECTION 27

ELEVATION:

885FT

UTM X UTM Y 460.707.76 4,278,699.03

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: N OF GREEN RIDGE

S.W.L. (AFTER CASING):

118

422FT

55FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006501

WELL TYPE

Noncommunity Public Well

1940/09/13 DRILL DATE:

TOWNSHIP 45N

RANGE 23W 28 **ELEVATION:**

UTM X

878FT

DRILL DEPTH:

300FT

43

UTMY 4,278,903.02

DEPTH TO BED: 20FT

SECTION

459,593.76

ZONE 15

S.W.L. (BEFORE CASING):

FT

STANLEY SHORTRIDGE, GUARDIAN **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 023473

WELL TYPE

DRILL DATE:

Private Well

TOWNSHIP 45N

SECTION RANGE

ELEVATION:

906FT

DRILL DEPTH:

410FT

23W 32

UTM X

UTMY

DEPTH TO BED:

80FT

458,296.78 4,276,966.01

ZONE 15

S.W.L. (BEFORE CASING):

N OF GREEN RIDGE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022228

WELL TYPE Private Well

DRILL DATE:

1966/11/

TOWNSHIP

RANGE 23W

SECTION

ELEVATION:

898FT

DRILL DEPTH:

275FT

45N

35

UTM X

DEPTH TO BED:

20FT

120

UTM Y 462,248.75 4,277,394.04

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2.75 miles NW of Green Ridge; old well deepened to 315 (see also log

#25007) in 1968

LOG ID:

WELL TYPE Private Well

025007

1966/11/

TOWNSHIP RANGE

SECTION

ELEVATION:

898FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

315FT

20FT

120

45N 23W 35

UTM X

UTM Y

462.248.75

4,277,394.04

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2.75 MI NW OF GREEN RIDGE; OLD WELL (see also log #22228)

DEEPENED



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022383

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1963/09/02 DRILL DATE:

520FT

50FT

TOWNSHIP RANGE 45N

23W

SECTION 5

ELEVATION:

827FT

UTM X 457,946.76

UTMY 4,284,941.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

140

ON HWY Y, 1.5 MI E OF PETTIS-JOHNSON CO LINE

LOG ID: 015545

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1956//

TOWNSHIP

RANGE

SECTION 9

ELEVATION:

819FT

DRILL DEPTH: 319FT 45N

23W

UTM X

UTMY 4,284,255.01

459,558.75

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

REMARKS: 7 MI S OF LAMONTE

ZONE 15

LOG ID: 013399

WELL TYPE Private Well

DRILL DATE:

1954//

TOWNSHIP

FT

RANGE 20W

SECTION

ELEVATION:

830FT

DRILL DEPTH:

468FT

46N

UTM X 494,640.80

UTM Y 4,292,965.49

DEPTH TO BED:

15FT

20FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

013048 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1954//

205FT

20FT

150

TOWNSHIP 46N

RANGE 20W

SECTION 15

ELEVATION:

706FT

UTM X UTM Y

491.055.73

4,290,342.36

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

3 MI E OF BRANSON



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011203

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1949/10/ DRILL DATE:

355FT

TOWNSHIP RANGE 46N 20W

SECTION 2

ELEVATION:

UTM X

820FT

UTMY 4,294,101.52

493,416.79

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Ray Hammoil - BEAMAN

S.W.L. (AFTER CASING):

LOG ID: 013047

WELL TYPE Private Well

DRILL DATE:

1954//

TOWNSHIP

FT

SECTION RANGE 2

ELEVATION:

783FT

DRILL DEPTH: DEPTH TO BED: 306FT 10FT 46N 20W

UTM X

UTMY

493,216.78 4,292,718.47

ZONE 15

S.W.L. (BEFORE CASING):

53

REMARKS: 14 MI NE OF SEDALIA

S.W.L. (AFTER CASING):

LOG ID: 013256

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1954//

239FT

10FT

TOWNSHIP 46N

RANGE 20W

SECTION 21

ELEVATION:

834FT

UTM X

UTM Y

488,583.69 4,288,021.28

ZONE 15

90

FT

6.5 MI E OF SEDALIA, 0.5 MI S OF BEAMAN

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 015887

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1956/05/16

170FT

10FT

TOWNSHIP 46N

RANGE 20W

SECTION 23

ELEVATION:

823FT

UTM X 493,255.74

UTM Y 4,287,898.33

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

109



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013981

WELL TYPE Private Well

1955/09/09 DRILL DATE:

TOWNSHIP 46N

RANGE SECTION **ELEVATION:**

846FT

DRILL DEPTH:

180FT

20W 24

UTM X

UTMY 4,288,486.34

DEPTH TO BED:

35FT

493,669.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

4 MI N OF SMITHTON ON HWY 135 **REMARKS**:

S.W.L. (AFTER CASING):

110

LOG ID: 015885

WELL TYPE Private Well

DRILL DATE:

1956/08/09

TOWNSHIP

SECTION RANGE

ELEVATION:

853FT

DRILL DEPTH:

110FT

46N 20W 24

UTM X

UTMY

DEPTH TO BED:

20FT

493,869.75

4,288,068.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

87

LOG ID: 013050

WELL TYPE Private Well

DRILL DATE:

1954//

TOWNSHIP

RANGE

ELEVATION:

842FT

DRILL DEPTH:

478FT

46N 20W 25

UTM X

UTM Y

DEPTH TO BED:

25FT

493,523.73

4,286,353.33

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2 MI N OF SQUARE ON HWY 135, 4 MI NE OF SMITHTON

SECTION

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

010797

Outcrop Description

DRILL DATE:

65FT

RANGE TOWNSHIP 46N

SECTION

ELEVATION:

814FT

DRILL DEPTH: DEPTH TO BED: 20W 26 UTM X

492.296.72

UTM Y 4,286,582.32

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

STOP Q, NTBK #936; BLUFF 75YDS S OF LOW WATER BRIDGE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014318

WELL TYPE Private Well

DRILL DATE: 1955/08/11

TOWNSHIP 46N RANGE SECTION

ELEVATION:

903FT

DRILL DEPTH:

290FT

20W 29

UTM X

<u>UTM Y</u>

DEPTH TO BED:

25FT

488,122.69

4,286,355.27

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

REMARKS:

LOG ID:

028895

WELL TYPE

Noncommunity Public Well

178

DRILL DATE:

2002/10/

TOWNSHIP

RANGE SECTION

ELEVATION:

840FT

DRILL DEPTH:

360FT

46N 20W 33

UTM X

UTM Y

DEPTH TO BED:

100

489,089.69

4,284,709.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022712 WELL TYPE

Private Well

DRILL DATE:

1963/12/07

TOWNSHIP I

RANGE SECTION

ELEVATION:

690FT

DRILL DEPTH:

190FT

46N

20W 5

<u>UTM X</u> 487,933.72

DEPTH TO BED:

30FT

<u>UTM Y</u> 4,294,223.47

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

22

FT

REMARKS: 10 MI NE OF SEDALIA

LOG ID:

WELL TYPE

020731

Private Well

DRILL DATE:

TOWNSHIP 46N **RANGE**

SECTION 9 ELEVATION:

745FT

DRILL DEPTH:

DEPTH TO BED:

180FT 10FT 20W

UTM X

<u>UTM Y</u>

488,804.72 4,291,478.38 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

).

REMARKS:

1 MI N, 0.25 MI E OF BEAMAN

2/27/2007

4,161



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008180

WELL TYPE Private Well

DRILL DATE: 1942//

<u>TOWNSHIP</u> 46N SECTION 10 **ELEVATION:**

814FT

DRILL DEPTH: 285FT

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED: 30FT

481,093.63

ZONE 15

4,292,873.35

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of Charles Mitterberg - 5 MI N, 0.5 MI E OF SEDALIA,

0.5 MI E OF BOTHWELL SCHOOL

RANGE

21W

LOG ID: 023272

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

TOWNSHIP

RANGE SECTION

10

21W

ELEVATION:

809FT

DRILL DEPTH: 359FT

UTM X

<u>UTM Y</u> 4,292,110.32

480,532.62 4 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004963

WELL TYPE Private Well

DRILL DATE:

1938/08/04

TOWNSHIP RANGE

46N

SE SECTION V 15 ELEVATION:

818FT

DRILL DEPTH:

125FT

20FT

15FT

46N 21W

<u>UTM X</u> 481,948.64

ZONE 15

<u>UTM Y</u> 4,291,259.30

DEPTH TO BED:

31

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006410

Noncommunity Public Well

DRILL DATE:

1940/06/22

TOWNSHIP

RANGE

<u>SECTION</u>

16

ELEVATION:

828FT

DRILL DEPTH:

180FT

46N

21W

UTM X

UTM Y

DEPTH TO BED:

10FT

479,119.60

4,289,905.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013596

DRILL DEPTH:

WELL TYPE Private Well

1955/04/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

REMARKS:

46N 21W 16 265FT

UTM X **UTMY** DEPTH TO BED: 40FT 479,309.60 4,290,085.23

ZONE 15

824FT

S.W.L. (BEFORE CASING): FT 2ND HOUSE E OF CHURCH IN GEORGETOWN

S.W.L. (AFTER CASING): 90

LOG ID: 024645

WELL TYPE Private Well

DRILL DATE: 1966/08/ **TOWNSHIP SECTION RANGE ELEVATION:** 844FT

46N 21W 16 DRILL DEPTH: 225FT

UTM X **UTMY** DEPTH TO BED: 20FT 478,917.60 4,290,266.23

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 145

LOG ID: 006985

WELL TYPE Private Well

DRILL DATE: 1940/08/08 **TOWNSHIP RANGE SECTION ELEVATION:** 836FT

46N 21W 17 152FT

DRILL DEPTH: UTM X UTM Y **DEPTH TO BED:** 10FT 477,904.60 4,290,995.25

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

012156 Exploratory Hole (Mineral Prospect)

52FT

1953/01/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 761FT

UTM X UTM Y DEPTH TO BED: 4,290,995.24

21W

17

TOP OF NORTHVIEW EXTIMATED TO BE AT 55' FROM NEARBY

5FT 477.704.60

ZONE 15 S.W.L. (BEFORE CASING):

46N

S.W.L. (AFTER CASING): **QUARRY EXPOSURE**

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015529

WELL TYPE Private Well

DRILL DATE:

1956/09/

TOWNSHIP 46N

RANGE SECTION 19

ELEVATION:

859FT

DRILL DEPTH:

501FT

21W

UTM X

UTM Y 4,289,045.16

DEPTH TO BED:

25FT

476,516.61

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

RT 4, SEDALIA **REMARKS**:

LOG ID: 003557

WELL TYPE Private Well

DRILL DATE:

1936/01/17

TOWNSHIP

SECTION RANGE

20

21

ELEVATION:

840FT

DRILL DEPTH:

261FT

46N 21W

UTM X

UTMY 4,289,783.20

DEPTH TO BED:

13FT

FT

FT

477,649.60 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: @ GEORGETOWN

S.W.L. (AFTER CASING):

150

LOG ID: 010883

WELL TYPE Private Well

DRILL DATE:

1949/07/14

TOWNSHIP

RANGE SECTION **ELEVATION:**

479,271.60

830FT

DRILL DEPTH:

350FT

46N 21W

UTM X

ZONE 15

UTM Y 4,289,525.21

DEPTH TO BED:

5FT

110

REMARKS: 0.5 MIS OF GEORGETOWN

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 013389

WELL TYPE Private Well

DRILL DATE:

1955/03/07

TOWNSHIP

RANGE

SECTION

ELEVATION:

853FT

DRILL DEPTH:

200FT

46N

21W 21 UTM X

478,812.60

UTM Y 4,289,827.21

DEPTH TO BED:

20FT

125

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: IN GEORGETOWN

2/27/2007

4,164



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016292

WELL TYPE

Community Public Well

DRILL DATE:

1957/06/

TOWNSHIP 46N

RANGE SECTION **ELEVATION:**

892FT

UTMY

DRILL DEPTH:

601FT

21W

21

UTM X

DEPTH TO BED:

10FT

479,671.61

4,288,703.19

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

130 130 FT

FT

REMARKS:

LOG ID:

WELL TYPE

023265

Private Well

DRILL DATE:

TOWNSHIP

SECTION RANGE 21

ELEVATION:

844FT

DRILL DEPTH:

320FT

46N 21W

UTM X

UTMY

DEPTH TO BED:

10FT

480,071.61

ZONE 15

ZONE 15

4,288,499.20

S.W.L. (BEFORE CASING):

REMARKS: SEDALIA?

S.W.L. (AFTER CASING):

LOG ID: 014866

WELL TYPE

Private Well

DRILL DATE:

1956/09/04

TOWNSHIP

RANGE

SECTION 22

ELEVATION:

848FT

DRILL DEPTH:

320FT

46N 21W

UTM X 480,481.62

UTM Y 4,288,430.20

DEPTH TO BED:

20FT

155

REMARKS: 2 MI N OF SEDALIA ON HWY 65

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

006494

WELL TYPE Private Well

DRILL DATE:

1940/09/26

TOWNSHIP 46N

RANGE

SECTION

ELEVATION:

830FT

DRILL DEPTH:

DEPTH TO BED:

124FT

21W 26

UTM X

483,251.64

UTM Y 4,287,554.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: #2 GENTRY

S.W.L. (AFTER CASING):

35



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006498

WELL TYPE Private Well

1940/07/00 DRILL DATE:

TOWNSHIP 46N

RANGE SECTION 21W 26

ELEVATION:

838FT

DRILL DEPTH: 204FT

UTM X 483,451.65

UTMY 4,287,350.23

DEPTH TO BED: 60FT

26

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: **#1 GENTRY**

LOG ID: 008907

WELL TYPE Private Well

DRILL DATE:

1944/06/

TOWNSHIP

SECTION RANGE

ELEVATION:

850FT

DRILL DEPTH:

430FT

54

46N 21W

UTM X

UTMY

DEPTH TO BED: 65FT 483,051.64

4,287,554.22

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 3.5 MI NE OF SEDALIA

S.W.L. (AFTER CASING):

LOG ID: 010925

WELL TYPE

Community Public Well

DRILL DATE:

1949/08/01

TOWNSHIP

RANGE 21W

SECTION

ELEVATION:

819FT

DRILL DEPTH:

313FT

46N

28

UTM X

UTM Y

DEPTH TO BED:

10FT

479,224.61 4,286,685.18 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NW SEWAGE DISPOSAL PLANT; NO CUTTINGS BELOW 140'

S.W.L. (AFTER CASING):

LOG ID: 011639

WELL TYPE

DRILL DATE:

Private Well

1951/07/

TOWNSHIP 46N

RANGE 21W

SECTION

ELEVATION:

882FT

DRILL DEPTH:

DEPTH TO BED:

428FT 35FT 28

UTM X UTM Y

480.224.61

4,287,503.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

145

1 MI N OF SEDALIA ON HWY 65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015533

WELL TYPE Private Well

1956/09/ DRILL DATE:

TOWNSHIP 46N

FT

FT

RANGE SECTION 28

ELEVATION:

DRILL DEPTH:

610FT

21W

UTM X

UTMY 478,824.60 4,287,605.18

881FT

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

15FT

S.W.L. (AFTER CASING):

168

REMARKS: ANNANDALE FARM

LOG ID: 018826

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

SECTION RANGE 3

ELEVATION:

769FT

DRILL DEPTH:

263FT

46N 21W

5 MI N OF SEDALIA

UTM X 480,853.63

UTMY 4,293,490.37

DEPTH TO BED:

15FT

35

REMARKS:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 022029

WELL TYPE Private Well

DRILL DATE:

1963/06/19

TOWNSHIP

RANGE SECTION 31

ELEVATION:

822FT

DRILL DEPTH:

300FT

46N 21W

UTM X

UTM Y

DEPTH TO BED:

50FT

475,587.62 4,285,245.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 1 MI W OF SEDALIA ON HWY 50

S.W.L. (AFTER CASING): 95

LOG ID:

WELL TYPE

022319

Community Public Well

DRILL DATE:

1963/09/

TOWNSHIP

RANGE SECTION **ELEVATION:**

836FT

DRILL DEPTH:

275FT

46N

21W 31

UTM X

UTM Y

475.987.62 4,285,245.15 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

25FT

REMARKS:

S.W.L. (AFTER CASING):

105



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013613

WELL TYPE

Industrial High Capacity Well

1955/04/28 DRILL DATE:

TOWNSHIP 46N

SECTION

ELEVATION:

817FT

DRILL DEPTH:

400FT

32

UTM X **UTMY**

DEPTH TO BED:

5FT

477,663.61 4,285,129.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.25 MI W OF SEDALIA, W OF NW CORNER **REMARKS**:

RANGE

21W

S.W.L. (AFTER CASING):

95

LOG ID: 020697

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

TOWNSHIP 46N

SECTION RANGE

ELEVATION:

805FT

DRILL DEPTH:

266FT

21W 32

UTM X

UTMY

DEPTH TO BED:

10FT

115

477,763.61

4,285,232.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 028049

Community Public Well

DRILL DATE:

1977/03/16

TOWNSHIP

RANGE 21W

SECTION

ELEVATION:

862FT

DRILL DEPTH:

1,705FT

46N

32

DEPTH TO BED:

5FT

UTM X UTM Y 478,407.60 4,286,401.17

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Industrial Park

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015542

Private Well

DRILL DATE:

1956/10/10

TOWNSHIP 46N

RANGE

SECTION 35

ELEVATION:

878FT

DRILL DEPTH:

DEPTH TO BED:

305FT

15FT

21W

UTM X

UTM Y

482.805.64 4,286,145.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.5 MI N OF SEDALIA, 0.25 MI W OF BEAMAN RD **REMARKS**:

S.W.L. (AFTER CASING):

150



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028050

WELL TYPE

Community Public Well

DRILL DATE:

1,585FT

TOWNSHIP 46N

SECTION 36

ELEVATION:

883FT

DRILL DEPTH:

21W

RANGE

UTM X 483,915.65

UTMY 4,284,790.22

DEPTH TO BED:

REMARKS: Booneville Rd NE ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 004754

WELL TYPE Private Well

DRILL DATE:

1938//

TOWNSHIP

SECTION RANGE

ELEVATION:

787FT

DRILL DEPTH:

DEPTH TO BED:

340FT

46N 21W 5

UTM X **UTMY**

478,622.60

4,293,194.34

135FT

REMARKS: 1.5 MI N OF GEORGETOWN ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 018918

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION 5

ELEVATION:

747FT

DRILL DEPTH:

237FT 10FT 46N 21W

> UTM X 477,822.60

> > ZONE 15

UTM Y 4,294,134.36

DEPTH TO BED:

41

FT

REMARKS: 6 MI SE OF HUGHESVILLE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 013391

WELL TYPE Private Well

DRILL DATE:

1955/03/11

TOWNSHIP

RANGE 21W

SECTION

ELEVATION:

827FT

DRILL DEPTH:

DEPTH TO BED:

95FT 20FT

40

46N

9

UTM X

UTM Y

478,870.60

4,291,488.27

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023264

WELL TYPE Private Well

1964// DRILL DATE:

TOWNSHIP 46N

RANGE SECTION 9

ELEVATION:

820FT

DRILL DEPTH:

340FT

21W

UTMY

DEPTH TO BED:

10FT

UTM X 480,464.62

4,292,092.31

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: **SEDALIA**

LOG ID: 022209

WELL TYPE Private Well

DRILL DATE:

1963/08/

TOWNSHIP

SECTION RANGE

ELEVATION:

796FT

DRILL DEPTH:

125FT

46N 22W 12

UTM X

UTMY

DEPTH TO BED:

10FT

18

474,336.63

4,292,970.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 3.5 MI S OF HUGHESVILLE

S.W.L. (AFTER CASING):

LOG ID: 021008

WELL TYPE

Private Well

DRILL DATE:

1962/05/

TOWNSHIP

RANGE SECTION 22W

ELEVATION:

802FT

DRILL DEPTH:

258FT

46N

14

UTM X

UTM Y

DEPTH TO BED:

15FT

86

473,429.63

4,291,411.22

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 015334

WELL TYPE Private Well

DRILL DATE:

1956//

TOWNSHIP

RANGE SECTION 15

ELEVATION:

802FT

46N

22W

UTM X

UTM Y

DRILL DEPTH: DEPTH TO BED: 350FT 65FT

471,399.65 4,291,477.21

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

1.5 MI N OF DRESDEN

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

466,303.69

ELEVATION:

UTM X

472,782.64

ELEVATION:

UTM X

468,922.66

ZONE 15

ZONE 15

860FT

UTMY

4,291,019.15

823FT

UTMY

4,294,667.34

814FT

UTM Y

4,288,827.09

LOG ID: 006356

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/07/17

635FT

DEPTH TO BED: 80FT

S.W.L. (BEFORE CASING):

FT

2 MI E OF LAMONTE; GABBETS-KLEIN TENANT **REMARKS**:

SECTION

18

SECTION

2

SECTION

20

RANGE

RANGE

RANGE

22W

22W

22W

S.W.L. (AFTER CASING): 145

LOG ID:

DRILL DEPTH:

WELL TYPE

018512 Private Well

DRILL DATE: 1959/09/

515FT

DEPTH TO BED: 70FT

S.W.L. (BEFORE CASING):

FT

138

REMARKS:

REMARKS:

REMARKS:

3 MI S OF HUGHESVILLE

TOWNSHIP

46N

TOWNSHIP

46N

TOWNSHIP

46N

S.W.L. (AFTER CASING):

LOG ID: 015307

WELL TYPE Private Well

DRILL DATE: 1956/07/10

DRILL DEPTH: 444FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 018012

1959// **DRILL DATE:**

DRILL DEPTH: 506FT

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION

1 MI SW OF DRESDEN

46N

22W

20

ELEVATION: 831FT

ZONE 15

UTM X UTM Y

469.122.66 4,290,033.13

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019299

WELL TYPE Private Well

1960/09/28 DRILL DATE:

TOWNSHIP 46N

RANGE SECTION 21

ELEVATION:

824FT

UTMY

DRILL DEPTH:

80FT

22W

UTM X

469,328.66 4,289,133.10

DEPTH TO BED: 30FT

28

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: IN DRESDEN, 1 BLK E OF SCHOOL

LOG ID: 021468

WELL TYPE Private Well

DRILL DATE:

1962/08/28

TOWNSHIP

SECTION RANGE

ELEVATION:

822FT

DRILL DEPTH:

95FT

22W 46N

UTM X

UTMY

DEPTH TO BED:

35FT

65

470,728.65

4,289,133.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

025136 **DRILL DATE:**

1967/02/

TOWNSHIP 46N

RANGE

SECTION

21

ELEVATION:

825FT

DRILL DEPTH:

110FT

22W 22

> UTM X 470,941.65

UTM Y 4,289,039.11

DEPTH TO BED:

25FT

32

REMARKS:

@ DRESDON, 6 MI W OF SEDALIA ON HWY 50

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028749

Noncommunity Public Well

DRILL DATE:

1995/06/20

TOWNSHIP 46N

RANGE 22W

SECTION 22

ELEVATION:

785FT

DRILL DEPTH:

1,400FT

UTM X UTM Y

472.241.64

4,288,732.12

ZONE 15

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

150

FT FΤ

REMARKS:

formerly in name of Pettis County Comm. (Sedalia Water Department)

S.W.L. (AFTER CASING):

145



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012271

WELL TYPE Private Well

1952/03/28 DRILL DATE:

TOWNSHIP 46N

RANGE SECTION 22W 24

ELEVATION:

804FT

DRILL DEPTH: 254FT

UTM X 474,595.62

UTMY 4,289,927.18

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI N OF SEDALIA

S.W.L. (AFTER CASING):

90

WELL TYPE Private Well

DRILL DATE:

LOG ID:

015882

1956/09/15

TOWNSHIP

SECTION RANGE

ELEVATION:

737FT

DRILL DEPTH:

115FT

24 46N 22W

UTM X

UTMY

DEPTH TO BED:

20FT

21

475,195.62

4,288,599.15 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 015877

WELL TYPE

Private Well

DRILL DATE:

1956/09/23

TOWNSHIP RANGE SECTION 46N

ELEVATION:

475,649.61

747FT

DRILL DEPTH:

118FT

22W

UTM X

ZONE 15

UTM Y 4,288,181.15

DEPTH TO BED:

15FT

29

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015883

DEPTH TO BED:

Private Well

DRILL DATE:

1956/10/13

TOWNSHIP

RANGE SECTION

25

25

ELEVATION:

789FT

DRILL DEPTH:

275FT

15FT

46N

22W

UTM X

UTM Y

474,307.62

4,288,212.14

ZONE 15

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019595

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 787FT

46N 22W 26 **DRILL DEPTH:** 225FT

UTM X **UTMY** DEPTH TO BED: 15FT 473,806.63 4,287,463.14

ZONE 15

S.W.L. (BEFORE CASING): 3 MI W OF SEDALIA ON HWY 50 "CAN'T LOCATE" **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025293 Industrial High Capacity Well

DRILL DATE: 1967/12/ **TOWNSHIP SECTION RANGE ELEVATION:** 828FT

46N 22W 26 DRILL DEPTH: 1,500FT

UTM X **UTMY** DEPTH TO BED: 40FT 472,906.64 4,288,174.13

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 500 GPM @ 136'

S.W.L. (AFTER CASING): 93

LOG ID: **WELL TYPE**

Industrial High Capacity Well 025471

SECTION DRILL DATE: 1968/03/ **TOWNSHIP RANGE ELEVATION:** 830FT

46N 22W 26 **DRILL DEPTH:** 1,305FT

UTM X UTM Y

DEPTH TO BED: 473,106.63 4,287,970.13 35FT ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: YIELD - 725 GPM @ 296'

S.W.L. (AFTER CASING): 98

LOG ID: 028180

WELL TYPE Unknown Well

485FT

1978/03/20 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 805FT

DRILL DEPTH: UTM X UTM Y

22W

27

DEPTH TO BED: 471,781.65 4,287,735.12

ZONE 15 S.W.L. (BEFORE CASING): FT

46N

REMARKS: NOT LOGGED "WILL RUN IF NECESSARY" S.W.L. (AFTER CASING): 105



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017274

WELL TYPE Private Well

1958/04/ DRILL DATE:

TOWNSHIP 46N

RANGE SECTION 22W

ELEVATION:

814FT

DRILL DEPTH:

577FT

28

UTM X

UTMY 4,287,932.10

DEPTH TO BED: 30FT

469,673.66

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 120 FT

REMARKS: 1 MI S OF DRESDEN

LOG ID: 012754

WELL TYPE Private Well

DRILL DATE:

1954//

TOWNSHIP

RANGE

SECTION 31

ELEVATION:

824FT

DRILL DEPTH:

382FT

46N 22W

UTM X

UTMY

DEPTH TO BED:

30FT

467,192.68

4,286,475.08

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI SW OF DRESDEN

S.W.L. (AFTER CASING):

95

LOG ID: 010769

WELL TYPE

Outcrop Description

DRILL DATE:

1949/04/20

TOWNSHIP

RANGE 22W

SECTION

ELEVATION:

770FT

DRILL DEPTH:

50FT

46N

35

UTM X

DEPTH TO BED:

15FT

UTM Y 472,920.64 4,285,856.12

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

2 BANK OF MUDDY CREEK, 250 YDS NE OF HOUSE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

010770 **Outcrop Description**

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1949/05/19

TOWNSHIP

RANGE

SECTION

ELEVATION:

472.820.64

764FT

DRILL DATE: DRILL DEPTH:

28FT

46N 22W 35

UTM X

ZONE 15

UTM Y 4,285,856.12

DEPTH TO BED:

S BANK MUDDY CREEK 150 YDS W OF STOP I. 150 YDS N OF **REMARKS**:

HOUSE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010773

WELL TYPE
Outcrop Description

12FT

DRILL DATE: 1949/04/20

TOWNSHIP RANGE 46N 22W **ELEVATION:**

730FT

DRILL DEPTH:

V 35

.

UTM Y

DEPTH TO BED:

1011

35

SECTION

<u>UTM X</u> 473,320.64

ZONE 15

4,286,658.13

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: N BANK OF MUDDY CREEK 100 YDS W OF BRIDGE ON U.S. HWY

50

LOG ID: 016612

WELL TYPE
Private Well

DRILL DATE:

1957//

TOWNSHIP

TOWNSHIP

46N

RANGE SECTION

ELEVATION:

777FT

DRILL DEPTH:

288FT

46N 22W 35

<u>UTM X</u>

UTM Y

DEPTH TO BED:

25FT

473,420.64

ZONE 15

4,285,356.13

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

000285

Private Well

DRILL DATE:

RANGE SECTION

ELEVATION:

787FT

DRILL DEPTH:

232FT

22W 36

UTM X

<u>UTM Y</u> 4,286,292.15

DEPTH TO BED:

118FT

475,455.62

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: LOCATION UNKNOWN, WS PAPER 195, P. 96

S.W.L. (AFTER CASING):

LOG ID: 003419

WELL TYPE Private Well

DRILL DATE:

1938/07/03

TOWNSHIP R

RANGE SECTION

ELEVATION:

UTM X

818FT

DRILL DEPTH:

223FT

46N 22W 36

UTM Y

475,440.62 4,285,272.14

ZONE 15

DEPTH TO BED:

50FT

REMARKS: 2 MI W OF SEDALIA

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

REIVIARNO. 2 IVII W OF SEDALIA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004203

WELL TYPE Private Well

1937/00/00 DRILL DATE:

TOWNSHIP 46N

RANGE SECTION 36

ELEVATION:

787FT

DRILL DEPTH:

40FT

22W

UTMY 4,286,292.15

DEPTH TO BED:

UTM X

475,455.62

ZONE 15

S.W.L. (BEFORE CASING):

DUG WELL - 1 SAMPLE AT 40', MISS RESIDUUM **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 006341

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1940/07/12

TOWNSHIP

RANGE

SECTION ELEVATION: 829FT

DRILL DEPTH:

223FT

46N 22W 36

UTM X UTMY

ZONE 15

475,040.63

4,285,272.14

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

104FT

50

REMARKS:

#2, SW OF "THE TOPS"; OLD WELL DEEPENED 104-223', 2 MI SL

OF SEDALIA

LOG ID: 008011

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1942/10/21

TOWNSHIP

RANGE

SECTION

ELEVATION:

787FT

DRILL DEPTH:

300FT

46N 22W 36

UTM X

UTM Y

DEPTH TO BED:

25FT

60

475,455.62

4,286,292.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: COATS OBANUM FARM; 6 MI NW OF LAMONTE' "CAN'T LOCATE"

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011657

DEPTH TO BED:

Community Public Well

DRILL DATE:

1950//

TOWNSHIP

RANGE

SECTION

ELEVATION:

798FT

DRILL DEPTH:

328FT

46N

22W

36

UTM X

UTM Y

475.440.62 4,286,188.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI W OF SEDALIA

S.W.L. (AFTER CASING):

80

20FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013259

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1954// **TOWNSHIP RANGE SECTION**

> 46N 22W 36

ELEVATION: 821FT

DRILL DEPTH: 300FT UTM X **UTMY** DEPTH TO BED: 5FT

46N

475,440.62 4,285,272.14

ZONE 15

S.W.L. (BEFORE CASING): FT

2 MI W OF SEDALIA, JCT HWY 50 & MAIN ST **REMARKS**:

S.W.L. (AFTER CASING): 80

LOG ID: 015891

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1956/11/21

TOWNSHIP SECTION RANGE 22W

36

ELEVATION: 795FT

DRILL DEPTH: 125FT

UTM X **UTMY**

474,240.63 4,286,086.14

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING): 67

LOG ID: 017031

WELL TYPE

Noncommunity Public Well

10FT

DRILL DATE: 1957/08/ **TOWNSHIP RANGE SECTION** 46N 22W 36

829FT

DRILL DEPTH: 476FT

UTM Y **UTM X**

DEPTH TO BED: 10FT 474,440.63 4,285,680.14

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

46N

REMARKS:

formerly in name of Floyd Parker - 1 MI W OF SEDALIA ON HWY 50

@ DRIVE-IN THEATER

LOG ID:

WELL TYPE

Private Well 004329

DRILL DATE: 1937// **TOWNSHIP RANGE SECTION** 22W

ELEVATION: 805FT

DRILL DEPTH:

DEPTH TO BED:

328FT 40FT

UTM X UTM Y

469.144.67

4,294,715.31

ZONE 15

S.W.L. (BEFORE CASING):

SAMPLES BETWEEN 110 & 210' MIXED - POOR LOG **REMARKS:**

5

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001564

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

155FT

8FT

TOWNSHIP RANGE SECTION 46N

NEAR LAMONTE

23W 12 **ELEVATION:**

848FT

UTM X 464,793.70

UTMY 4,292,703.20

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 001646

Oil Well

DRILL DATE:

1908//

TOWNSHIP

REMARKS: #1 REAVIS - DRY

REMARKS:

SECTION RANGE 13

ELEVATION:

860FT

DRILL DEPTH: DEPTH TO BED: 880FT 75FT 46N 23W

UTM X

UTMY

464,622.70

4,290,785.12

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 001776

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE SECTION 13

ELEVATION:

870FT

DRILL DEPTH:

175FT

46N 23W

UTM X 466,022.69

UTM Y 4,291,397.16

DEPTH TO BED:

8FT

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

005276

Noncommunity Public Well

DRILL DATE:

1939/02/28

TOWNSHIP

RANGE 23W

SECTION

ELEVATION:

862FT

DRILL DEPTH:

DEPTH TO BED:

575FT 10FT 46N

14

UTM X

UTM Y

463.611.71 ZONE 15

4,291,688.15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL DEEPENED 420-575' BY CALHOON

S.W.L. (AFTER CASING):

135



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011440

WELL TYPE

Community Public Well

1950/09/ DRILL DATE:

TOWNSHIP 46N

RANGE SECTION **ELEVATION:**

875FT

DRILL DEPTH:

650FT

23W

UTMY 4,291,949.15

DEPTH TO BED:

25FT

14

UTM X 463,177.71

ZONE 15

S.W.L. (BEFORE CASING):

10

FT

REMARKS: 4 BLKS NW OF SCHOOL WELL

S.W.L. (AFTER CASING):

FT 152

LOG ID: 016850

WELL TYPE

Community Public Well

DRILL DATE:

1957/12/

TOWNSHIP

RANGE 23W

SECTION

ELEVATION:

857FT

DRILL DEPTH:

650FT

46N

14

DEPTH TO BED:

UTM X

UTMY 4,290,928.12

463,303.71 ZONE 15

S.W.L. (BEFORE CASING):

35FT

S.W.L. (AFTER CASING):

23

160

FT

FT

REMARKS:

LOG ID: 017028

WELL TYPE

Private Well

DRILL DATE:

1957/02/

TOWNSHIP

RANGE

SECTION 16

ELEVATION:

857FT

DRILL DEPTH:

480FT

46N

23W

UTM X

DEPTH TO BED:

110FT

UTM Y 461,198.73 4,291,879.13

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Mrs. George Martin - 1 MI W OF LAMONTE

S.W.L. (AFTER CASING):

LOG ID: 021981

WELL TYPE

Private Well

DRILL DATE:

1963/06/01

TOWNSHIP

REMARKS:

RANGE

SECTION 19

ELEVATION:

861FT

DRILL DEPTH:

675FT

46N 23W UTM X

457.024.76

UTM Y 4,289,479.00

DEPTH TO BED:

130FT

RT 2, KNOB NOSTER

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011199

WELL TYPE Private Well

1949/10/ DRILL DATE:

TOWNSHIP 46N

RANGE SECTION **ELEVATION:**

878FT

DRILL DEPTH:

417FT

23W 22

UTM X

UTMY

DEPTH TO BED:

25FT

462,726.72

4,290,597.10

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

@ LaMONTE; *"SMALL DD"

S.W.L. (AFTER CASING):

160

REMARKS:

LOG ID: 023115

WELL TYPE Oil Well

DRILL DATE:

1964/10/

TOWNSHIP 46N

SECTION RANGE

ELEVATION:

870FT

DRILL DEPTH:

970FT

23W 23

> UTM X 464,140.70

UTMY 4,289,676.07

DEPTH TO BED:

785FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: #1 WALTER CRAMER; OIL TEST, DRY - MAY BE IN USE AS A

WATER WELL

LOG ID: 014659

WELL TYPE Private Well

DRILL DATE:

1956//

TOWNSHIP

RANGE SECTION **ELEVATION:**

842FT

DRILL DEPTH:

320FT

46N 23W 24

UTM X

UTM Y

DEPTH TO BED:

25FT

465,747.69 4,290,176.11

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

135

LOG ID: 020061

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 46N

RANGE 23W

SECTION

ELEVATION:

840FT

DRILL DEPTH:

DEPTH TO BED:

527FT 70FT

24

UTM X

ZONE 15

465,547.69

UTM Y 4,289,976.10

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI E OF LAMONTE

S.W.L. (AFTER CASING): 142



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015535

WELL TYPE Private Well

1956/03/ DRILL DATE:

TOWNSHIP

RANGE SECTION 23W

ELEVATION:

896FT

DRILL DEPTH:

340FT

25

UTM X 465,361.69

ZONE 15

UTMY 4,288,779.06

REMARKS:

46N

DEPTH TO BED: 25FT

formerly in name of Robert Issel - @ GREEN RIDGE

27

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 006157

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1940//

TOWNSHIP

RANGE

SECTION

ELEVATION:

820FT

DRILL DEPTH:

585FT

46N

23W

UTM X

UTMY

DEPTH TO BED: 55FT 461,448.72

4,288,763.03

ZONE 15

S.W.L. (BEFORE CASING):

TENENT FARM - 2 MI SW OF LAMONTE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 017872

WELL TYPE Private Well

DRILL DATE:

1958/07/

TOWNSHIP

RANGE

SECTION 29

ELEVATION:

853FT

DRILL DEPTH:

650FT

46N 23W

SW OF LAMONTE

UTM X 459,428.74 UTM Y

DEPTH TO BED:

85FT

4,288,661.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 022370

WELL TYPE

Private Well

DRILL DATE:

1963/07/05

TOWNSHIP 46N

RANGE

SECTION

ELEVATION:

846FT

DRILL DEPTH:

DEPTH TO BED:

659FT

75FT

23W 29

UTM X

UTM Y

459.428.74 4,288,151.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

160



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021889

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1963/02/22 DRILL DATE:

655FT

40FT

TOWNSHIP RANGE 46N

SECTION 23W 30

ELEVATION:

857FT

UTM X 456,835.76

UTMY 4,287,851.99

ZONE 15

S.W.L. (BEFORE CASING):

KNOOB NOSTER; SAMPLES MIXED, USE WITH CAUTION **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 003138

WELL TYPE Private Well

DRILL DATE:

1934/11/

TOWNSHIP

RANGE

SECTION 32

ELEVATION:

842FT

DRILL DEPTH: DEPTH TO BED: 435FT

60FT

46N 23W

UTM X

UTMY

458,147.75

4,286,734.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **NEAR KNOB NOSTER**

S.W.L. (AFTER CASING): 175

LOG ID: 016052

WELL TYPE Private Well

DRILL DATE:

1957//

436FT

46N

RANGE 23W

SECTION

ELEVATION:

812FT

DRILL DEPTH:

TOWNSHIP

34

UTM X 461,169.73

UTM Y 4,285,942.03

DEPTH TO BED:

20FT

POOR SAMPLES, USE WITH CAUTION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020270

Private Well

DRILL DATE:

1961/09/14

TOWNSHIP

RANGE

SECTION

ELEVATION:

824FT

DRILL DEPTH:

DEPTH TO BED:

275FT

20FT

110

46N

23W 36

UTM X

UTM Y

464.977.70 4,285,858.06 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

2/27/2007

4,183



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018193

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1959// DRILL DATE:

665FT

175

185FT

TOWNSHIP 46N

RANGE SECTION 23W 9

ELEVATION:

859FT

UTM X

UTMY 4,292,479.15

460,473.74

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

SAMPLELS VERY MIXED, LOG USELESS FOR CORRELATION **REMARKS**:

LOG ID:

008493

WELL TYPE Private Well

DRILL DATE:

1943/05/

TOWNSHIP

RANGE

SECTION

ELEVATION:

820FT

DRILL DEPTH:

439FT

140

47N 20W 11

UTM X

UTMY

DEPTH TO BED: 5FT 492,291.84

4,301,827.79

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 18 MI NE OF SEDALIA

S.W.L. (AFTER CASING):

LOG ID: 018005

WELL TYPE Private Well

DRILL DATE:

1959//

TOWNSHIP 47N

RANGE

SECTION ELEVATION: 668FT

DRILL DEPTH:

190FT

20W 12

20 MI NE OF SEDALIA

UTM X

UTM Y

DEPTH TO BED:

10FT

494,704.88

4,301,234.79

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008489

WELL TYPE Private Well

DRILL DATE:

1943/05/

TOWNSHIP

REMARKS:

RANGE

SECTION

ELEVATION:

704FT

DRILL DEPTH:

DEPTH TO BED:

180FT 15FT

47N 20W 14

> UTM X 493.657.85

UTM Y

4,300,320.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1.5 MI N OF DEWITE FARM

S.W.L. (AFTER CASING):

80



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004576

WELL TYPE Private Well

1937/10/ DRILL DATE:

TOWNSHIP 47N

RANGE SECTION 20W

ELEVATION:

856FT

DRILL DEPTH: DEPTH TO BED: 122FT 35FT

16

UTM X

489,287.78

UTMY 4,300,240.70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

40

REMARKS: TRACT 194, UNITS -58-59

LOG ID: 022344

WELL TYPE Private Well

DRILL DATE:

1963/10/

TOWNSHIP

SECTION RANGE

ELEVATION:

830FT

DRILL DEPTH:

365FT

20W 21 47N

UTM X

UTMY

DEPTH TO BED:

20FT

185

489,051.77

4,298,843.65

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 022214

WELL TYPE Private Well

1963/07/19

TOWNSHIP

RANGE SECTION **ELEVATION:**

803FT

DRILL DATE: DRILL DEPTH:

375FT

47N 20W 22

> UTM X 491,561.81

UTM Y 4,299,214.69

DEPTH TO BED:

30FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

160

FT

REMARKS: 9 MI N OF BEAMAN ON CO HWY O

LOG ID:

Private Well

WELL TYPE

008490

1943/06/

TOWNSHIP

RANGE 20W

SECTION

ELEVATION:

775FT

DRILL DATE: DRILL DEPTH:

354FT

15FT

47N

24

UTM X

UTM Y 495,012.85 4,297,620.66

ZONE 15

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

140

REMARKS: 2 MI E OF LAMEY WELL

2/27/2007

4,185



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023231

WELL TYPE Private Well

DRILL DATE: 1964/07/25

TOWNSHIP 47N

RANGE SECTION 20W

ELEVATION:

749FT

DRILL DEPTH:

250FT

26

UTM X

UTMY 4,297,305.63

DEPTH TO BED:

5FT

492,564.81 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.5 MI W OF CLIFTON CITY, 3 MI NW ON HWY BB **REMARKS**:

S.W.L. (AFTER CASING):

120

LOG ID: 010786

WELL TYPE

Outcrop Description

DRILL DATE:

1949/04/21

TOWNSHIP

RANGE

SECTION

ELEVATION:

650FT

DRILL DEPTH:

92FT

47N 20W 28

> **UTM X** 488,911.75

UTMY 4,297,230.59

DEPTH TO BED:

REMARKS:

BLUFF AT POINT OF U BEND OF MUDDY CREEK ON N SD

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 014085

WELL TYPE Private Well

DRILL DATE:

1955/06/

TOWNSHIP

RANGE

SECTION 30

ELEVATION:

810FT

DRILL DEPTH:

285FT

47N 20W

UTM X

UTM Y

DEPTH TO BED:

10FT

486,564.72

ZONE 15

4,297,688.58

125

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

006266

DRILL DATE:

1940/07/11

TOWNSHIP 47N

RANGE

SECTION

ELEVATION:

775FT

DRILL DEPTH:

DEPTH TO BED:

215FT 15FT 20W 31

UTM X

UTM Y

486,323.71 4,295,895.52

ZONE 15

S.W.L. (BEFORE CASING):

FT

1 MI E OF NEWLAND STORE; CAVED 155-165' **REMARKS**:

S.W.L. (AFTER CASING):

130

2/27/2007

4,186



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025139

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1967/03/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 612FT

210FT 47N 20W 33

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 5FT 489,366.75 4,295,837.54

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of W.H. Byrd - 3 MI NE OF BEAMAN ON HWY O, 0.1

MI N TO GREEN CABIN ON MUDDY CRK

LOG ID: 025526

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1967/03/ TOWNSHIP RANGE SECTION ELEVATION: 608FT

DRILL DEPTH: 220FT 47N 20W 33

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 489,366.75 4,295,623.54

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 3 MI NE OF BEAMAN ON HWY O, 1/8 MI N, CABIN W/ RED BRICK

S.W.L. (AFTER CASING): 25 SIDING

12

LOG ID: 004649

WELL TYPE Private Well

<u>DRILL DATE:</u> 1938// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 848FT

DRILL DEPTH: 378FT 47N 20W 5

UTM X UTM Y

<u>DEPTH TO BED:</u> 40FT 488,565.78 4,303,244.80

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: TRACT 38A, UNIT 68

S.W.L. (AFTER CASING):

LOG ID: 003819 WELL TYPE Private Well

<u>DRILL DATE: 1935/11/ TOWNSHIP RANGE SECTION</u> ELEVATION: 792FT

DRILL DEPTH: 200FT 47N 20W 7

DEPTH TO BED: 15FT 486,969.75 4,302,401.76

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): FT BEMARKS LIBRER CAMPLES MAKES PENNIL

S.W.L. (AFTER CASING): PT REMARKS: UPPER SAMPLES MIXED - "MISS-PENN" S.W.L. (AFTER CASING): 23



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004590

DRILL DEPTH:

WELL TYPE Private Well

1937/10/ DRILL DATE:

FT

420FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 47N

TRACT 38G, UNITS 47-52

20W

8

ELEVATION:

823FT

UTM X 486,569.74

UTMY 4,301,263.71

ZONE 15

145

LOG ID: 004554

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1937/12/

162

TOWNSHIP 47N

RANGE 20W

SECTION ELEVATION:

833FT

UTM X UTMY

487,835.76 4,301,873.75

ZONE 15

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

55FT

495FT

REMARKS:

REMARKS:

TRACT 38C, UNIT 60 & 69

LOG ID: 004646

WELL TYPE Private Well

DRILL DATE:

S.W.L. (AFTER CASING):

1937/01/

TOWNSHIP 47N

FT

RANGE SECTION **ELEVATION:**

857FT

DRILL DEPTH:

510FT

20W 8

UTM X 488,635.78

UTM Y 4,301,673.75

DEPTH TO BED:

40FT

REMARKS: TRACT 38C, UNIT 62

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 023510

WELL TYPE Private Well

DRILL DATE:

1965/03/17

TOWNSHIP

RANGE

SECTION 11

ELEVATION:

825FT

DRILL DEPTH:

DEPTH TO BED:

455FT 10FT 47N 21W

UTM X

UTM Y

REMARKS:

482.736.67

4,301,306.68

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

RT 1, HUGHSVILLE

2/27/2007

4,188



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004647

WELL TYPE Private Well

1938/03/03 DRILL DATE:

TOWNSHIP 47N

SECTION 13

ELEVATION:

UTM X

842FT

DRILL DEPTH: 365FT

UTMY 4,300,979.68

DEPTH TO BED: 35FT

36

484,479.70

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: **TRACT 201, UNIT 44**

LOG ID:

WELL TYPE Private Well

004650

DRILL DATE:

1938/03/03

TOWNSHIP

SECTION RANGE

ELEVATION:

853FT

DRILL DEPTH:

100FT

21W 13 47N

RANGE

21W

UTM X

UTMY

DEPTH TO BED:

30FT

33

484,279.70 4,300,979.68

ZONE 15

S.W.L. (BEFORE CASING):

FT

TRACT 196, UNIT 43 REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 024273

Noncommunity Public Well

DRILL DATE:

1966/06/

TOWNSHIP

RANGE SECTION 15

ELEVATION:

481,124.64

842FT

DRILL DEPTH:

350FT

47N 21W

UTM X

ZONE 15

UTM Y 4,301,034.65

DEPTH TO BED:

40FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

162

100

FT

FT

REMARKS: 11 MI N OF SEDALIA @ JCT HWYS 65 & D

LOG ID:

WELL TYPE

004295

Private Well

DRILL DATE:

TOWNSHIP 47N

RANGE 21W

SECTION

17

ELEVATION:

UTM X

819FT

DRILL DEPTH:

DEPTH TO BED:

560FT 25FT

UTM Y

4,300,165.59

4,189

477.628.60

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL TO 270', DEEPENED FROM 245'; DEEPENED TWICE,

TCT 164, UNIT 30

S.W.L. (AFTER CASING): 45

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004386

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1937/08/13 DRILL DATE:

540FT

35FT

TOWNSHIP RANGE SECTION 47N

21W 17 **ELEVATION:**

835FT

UTM X 478,528.60

UTMY 4,300,768.62

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

133

REMARKS:

TRACT 7C, UNITS 26 & 27, WELL #1

LOG ID:

004636

WELL TYPE Private Well

DRILL DATE:

1937/12/

FT

TOWNSHIP

RANGE

SECTION

ELEVATION:

808FT

DRILL DEPTH: DEPTH TO BED: 450FT 55FT

47N

21W 17

UTM X

UTMY

477,628.60

4,299,763.57

ZONE 15

S.W.L. (BEFORE CASING):

TRACT 164, UNIT 33; DEEPENED BY LOCKNEY 290-450' REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 013608

WELL TYPE Private Well

DRILL DATE:

1954/09/

550FT

155FT

TOWNSHIP 47N

RANGE

SECTION 17

ELEVATION:

UTM X

816FT

DRILL DEPTH: DEPTH TO BED:

21W

UTM Y

477,573.60

4,300,832.61

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

150

FT

FT

REMARKS:

NARROW 0.8 X 1 MI SECTION

LOG ID:

S.W.L. (BEFORE CASING):

WELL TYPE Private Well

004578 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1937/10/

TOWNSHIP

RANGE

SECTION

18

ELEVATION:

819FT

47N

21W

UTM X

UTM Y

477.473.60

4,300,277.59

ZONE 15

25FT

565FT

REMARKS:

TRACT 164, UNIT 31

S.W.L. (AFTER CASING):

130

2/27/2007

4,190



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006280

WELL TYPE Private Well

1940/08/ DRILL DATE:

TOWNSHIP RANGE SECTION 47N 21W

ELEVATION:

806FT

DRILL DEPTH:

470FT

19

20

UTMY

DEPTH TO BED: 55FT

105

UTM X 476,328.61

4,298,913.53

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: OSAGE FARM UNIT #11;

LOG ID: 018401

WELL TYPE Private Well

DRILL DATE:

1959//

TOWNSHIP

SECTION RANGE

ELEVATION:

804FT

DRILL DEPTH:

335FT

21W 47N

UTM X

UTMY

DEPTH TO BED:

65FT

479,032.61 4,299,072.56

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

2 MI E OF HUGHESVILLE, NO PRODUCTION OR CONSTRUCTION

DATA

LOG ID: 004333

WELL TYPE Private Well

DRILL DATE:

1937/07/15

TOWNSHIP

RANGE SECTION **ELEVATION:**

835FT

DRILL DEPTH:

150FT

47N 21W 21

UTM X 480,203.63

UTM Y 4,299,205.58

DEPTH TO BED:

25FT

TRACT 5, UNIT 4, WELL #1

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

55

LOG ID: 004577

WELL TYPE Private Well

DRILL DATE:

1937/10/

TOWNSHIP 47N

RANGE

SECTION

ELEVATION:

485.188.70

840FT

DRILL DEPTH:

DEPTH TO BED:

480FT

55FT

21W 25

UTM X

ZONE 15

UTM Y 4,296,729.53

S.W.L. (BEFORE CASING):

FT

FT

S.W.L. (AFTER CASING):

130

REMARKS: TRACT 182, UNITS 45 & 46



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010572

WELL TYPE Private Well

1948/10/27 DRILL DATE:

TOWNSHIP 47N

RANGE SECTION **ELEVATION:**

852FT

DRILL DEPTH:

245FT

21W 27

UTM X

UTMY 4,297,580.53

DEPTH TO BED:

25FT

35

481,175.64

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: 8 MI N OF SEDALIA

LOG ID: 022333

WELL TYPE Private Well

DRILL DATE:

1963/11/08

TOWNSHIP

SECTION RANGE

ELEVATION:

757FT

DRILL DEPTH:

300FT

21W 47N

> UTM X 479,471.61

UTMY 4,297,827.52

DEPTH TO BED:

25FT

28

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

60

FT **REMARKS**:

FT

10 MI N OF SEDALIA, 3 MI W OF HWY 65; YIELD - 15 GPM @ 140'

LOG ID:

011359

WELL TYPE Private Well

DRILL DATE:

1950/04/

TOWNSHIP

RANGE SECTION 3

ELEVATION:

798FT

DRILL DEPTH:

135FT

47N 21W

> UTM X 481,810.66

UTM Y

DEPTH TO BED:

15FT

REMARKS: formerly in name of Euwing Lakin

33

4,304,313.78

ZONE 15

30 S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 010573

WELL TYPE Private Well

1948/10/02

TOWNSHIP

RANGE SECTION **ELEVATION:**

812FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

200FT

47N 21W

UTM X

UTM Y

479.908.62

4,296,004.45

ZONE 15

S.W.L. (BEFORE CASING):

10FT

7 MI N OF SEDALIA **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010774

DEPTH TO BED:

WELL TYPE
Outcrop Description

DRILL DATE: 1949/04/20

DRILL DEPTH: 7FT

47N 21W 33 <u>UTM X</u> <u>UTM Y</u>

480,408.62 4,294,990.42

RANGE

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING):

REMARKS: NOTEBOOK #936; BANK MUDDY CREEK, 75 YDS W OF HWY 65

SECTION

S.W.L. (AFTER CASING):

LOG ID: 006267

WELL TYPE Private Well

DRILL DATE:

1010/07/01

1940/07/24

<u>TOWNSHIP</u>

TOWNSHIP

RANGE SECTION

ELEVATION:

826FT

692FT

DRILL DEPTH:

S.W.L. (BEFORE CASING):

115FT

47N 21W 35

UTM X

ZONE 15

UTM Y

DEPTH TO BED: 5FT

483,534.67

4,295,733.48

FT _____

S.W.L. (AFTER CASING): 34

_

REMARKS: #1 RADER

LOG ID:

013401

WELL TYPE Private Well

DRILL DATE:

1955//

11

FT

FT

TOWNSHIP RANGE

SECTION 35 **ELEVATION**:

718FT

DRILL DEPTH:

225FT

47N 21W

<u>UTM X</u> 482,559.66 <u>UTM Y</u> 4,295,981.48

DEPTH TO BED:

60FT

90

REMARKS:

ZONE 15
HWY 65 & MUDDY CRKK, 1 MI E; OD WELL DEEPENED?

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 006499

WELL TYPE Private Well

DRILL DATE:

1940/08/07

TOWNSHIP

RANGE

SECTION

ELEVATION:

743FT

DRILL DEPTH:

160FT

47N 21W 36

DEPTH TO BED:

35FT

2111

UTM X UTM Y

484,037.67 4,295,605.48

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING): 45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010794

DRILL DEPTH:

WELL TYPE Outcrop Description

1949/04/21 DRILL DATE:

127FT

DEPTH TO BED: 10FT

47N 21W

RANGE

SECTION 36

ELEVATION:

673FT

UTM X 484,837.69

UTMY 4,295,605.49

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

SD OF RD

TOWNSHIP

LOG ID: 010114

WELL TYPE Private Well

DRILL DATE:

1947/09/04

TOWNSHIP

RANGE

SECTION

4

BLUFF N OF MUDDY CRK, 100 YDS N NW OF PINHOOK BRIDGE AT

ELEVATION:

830FT

DRILL DEPTH: DEPTH TO BED: 210FT

47N 21W

UTM X

UTMY

15FT

479,710.62 4,303,793.74

ZONE 15

S.W.L. (BEFORE CASING):

FT

129

REMARKS: LONG 1 X 1.2 MI SECTION

S.W.L. (AFTER CASING):

LOG ID: 010115

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1947/08/08

50FT

20

20FT

TOWNSHIP 47N

RANGE 21W

SECTION 4

ELEVATION:

UTM X

803FT

UTM Y

479,710.62 4,303,793.74

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: LONG 1 X 1.2 MI SECTION

S.W.L. (AFTER CASING):

LOG ID: 018915

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1959/10/31

300FT

5FT

TOWNSHIP 47N

RANGE 21W

SECTION 5

ELEVATION:

762FT

UTM X UTM Y

477.905.60 4,304,545.75

ZONE 15

74

REMARKS:

4 MI E OF HOUSTONIA

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

2/27/2007

4,194



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021461

WELL TYPE Private Well

1961/12/30 DRILL DATE:

TOWNSHIP RANGE 47N

SECTION 5

ELEVATION:

780FT

DRILL DEPTH:

340FT

21W

UTM X

UTMY

DEPTH TO BED:

25FT

478,205.60

4,303,487.72

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI NE OF HUGHESVILLE

S.W.L. (AFTER CASING):

146

LOG ID: 004303

WELL TYPE Private Well

DRILL DATE:

1936/06/

TOWNSHIP

RANGE

SECTION

ELEVATION:

795FT

DRILL DEPTH:

417FT

21W 47N

8

UTM X

UTMY 4,301,672.65

DEPTH TO BED: 20FT 478,045.60

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

MANY SKIPPED INTERVALS IN CANADIAN SECTION

9

S.W.L. (AFTER CASING):

LOG ID: 004388

WELL TYPE

Private Well

DRILL DATE:

1937/08/11

TOWNSHIP

RANGE SECTION **ELEVATION:**

834FT

DRILL DEPTH:

347FT

47N 21W

UNIT 1, TRACT 3, WELL #1

UTM X 480,154.63

UTM Y 4,301,214.65

DEPTH TO BED:

25FT

51

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

016051

DRILL DATE:

DEPTH TO BED:

1957//

TOWNSHIP 47N

RANGE

SECTION 11

ELEVATION:

800FT

DRILL DEPTH:

312FT

95FT

22W

UTM X

UTM Y

474.206.63

4,301,924.63

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000287

DRILL DATE:

DRILL DEPTH:

WELL TYPE Private Well

253FT

DEPTH TO BED: 200FT **TOWNSHIP RANGE SECTION** 47N 22W

12

ELEVATION:

795FT

UTM X 474,817.63

UTMY 4,302,655.66

ZONE 15

S.W.L. (BEFORE CASING):

2 MI NW OF HUGHESVILLE; WS PAPER 195, P. 95 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 014245

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1955//

TOWNSHIP

RANGE

SECTION

ELEVATION:

773FT

DRILL DEPTH: 265FT

22W 15 47N

UTM X

UTMY

472,430.65

4,301,016.58

ZONE 15

S.W.L. (BEFORE CASING):

FT

80

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016617

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1957/06/20

DEPTH TO BED: 70FT

500FT

47N

TOWNSHIP

RANGE 22W

SECTION 16

ELEVATION:

808FT

UTM X

UTM Y

470,114.67 4,301,320.57

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

004389 **DRILL DATE:**

1937/08/03

TOWNSHIP 47N

RANGE

SECTION

ELEVATION:

802FT

DRILL DEPTH:

DEPTH TO BED:

380FT 20FT 22W

17

UTM X

UTM Y 4,301,605.57

468.698.69 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

TRACT 1, UNITS 8 & 9, WELL #1

S.W.L. (AFTER CASING): 91



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004969

WELL TYPE Private Well

1938/07/ DRILL DATE:

TOWNSHIP 47N

RANGE SECTION **ELEVATION:**

802FT

DRILL DEPTH:

380FT

22W 18

UTM X

UTMY

DEPTH TO BED:

100FT

70

466,711.70

4,300,310.51

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

022365 DRILL DATE:

1963/11/15

TOWNSHIP

SECTION RANGE

ELEVATION:

759FT

DRILL DEPTH:

500FT

22W 47N

UTM X

UTMY

DEPTH TO BED:

45FT

474,288.64

4,303,134.67

S.W.L. (BEFORE CASING):

FT

2 MI N OF HUGHESVILLE REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003683

Industrial High Capacity Well

105

DRILL DATE:

1936/07/14

TOWNSHIP

RANGE

SECTION 20

2

ELEVATION:

820FT

DRILL DEPTH:

737FT

47N 22W

UTM X 468,221.69

UTM Y 4,299,795.50

DEPTH TO BED:

20FT

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

EAST WELL, 3.5 MI S OF HOUSTONIA; #1 (W WELL=#3687), #3 =

#4403

LOG ID:

117

WELL TYPE

003687

Industrial High Capacity Well

DRILL DATE:

1936/07/23

TOWNSHIP 47N

RANGE 22W

SECTION 20

ELEVATION:

822FT

DRILL DEPTH:

DEPTH TO BED:

968FT 30FT

UTM X 468.221.69 UTM Y

4,197

4,299,795.50 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3.5 MI S OF HOUSTONIA; "WEST WELL", SEE ALSO #2 = #3683, #3

= #4403

S.W.L. (AFTER CASING): 117

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004403

WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1937/08/ **TOWNSHIP RANGE SECTION** 47N 22W 20

ELEVATION:

821FT

DRILL DEPTH: 982FT

UTM X

UTMY 4,299,795.50

DEPTH TO BED: 40FT 468,221.69

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

WELL #3, 250' E OF WELL #2 (#3683); #1 = #3687 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 005379

WELL TYPE

Community Public Well

DRILL DATE:

1939/03/

TOWNSHIP

SECTION RANGE

ELEVATION:

808FT

DRILL DEPTH:

330FT

22W 23 47N

UTM X

UTMY

DEPTH TO BED: 10FT 474,448.63

4,299,517.54

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

018855

Community Public Well

DRILL DATE:

1959/12/20

TOWNSHIP

RANGE SECTION

23

ELEVATION:

815FT

DRILL DEPTH:

935FT

22W 47N

UTM X

UTM Y

DEPTH TO BED:

25FT

120

127

FT

FT

474,448.63

ZONE 15

4,298,903.52

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

Private Well 004544

DRILL DATE:

1937/07/22

TOWNSHIP

RANGE

SECTION 29

ELEVATION:

865FT

DRILL DEPTH:

510FT

47N

22W

UTM X

469.032.68

UTM Y

DEPTH TO BED:

35FT

4,297,672.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: TRACT 80, UNITS 12-20, WELL #1

S.W.L. (AFTER CASING):

22



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026814

DRILL DEPTH:

WELL TYPE Private Well

1971/05/06 DRILL DATE:

1,410FT

DEPTH TO BED: 45FT

TOWNSHIP RANGE 47N 22W

SECTION 34

ELEVATION:

824FT

UTM X

UTMY 4,295,560.37

471,875.65

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 140

FORMER WHITMAN AFB SAFEGUARD MISSILE SITE WELL #1 **REMARKS**:

LOG ID: 006105

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1940/07/

TOWNSHIP

RANGE SECTION 5

ELEVATION:

831FT

DRILL DEPTH:

565FT

47N 22W

UTM X

UTMY

45FT

133

469,252.68

4,303,412.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

UNIT #37 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 004540

WELL TYPE Private Well

DRILL DATE:

1937/10/

TOWNSHIP

REMARKS:

RANGE SECTION 9

ELEVATION:

808FT

DRILL DEPTH:

440FT

47N 22W

TRACT 51, UNIT 41

UTM X 470,091.67

UTM Y 4,302,209.61

DEPTH TO BED:

35FT

103

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 004543

WELL TYPE Private Well

DRILL DATE:

1937/08/

TOWNSHIP 47N

RANGE 22W

SECTION 9

ELEVATION:

UTM X

821FT

DRILL DEPTH:

DEPTH TO BED:

390FT 40FT

UTM Y

470,391.67 4,303,132.65

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

90

REMARKS:

TRACT 61, UNITS 38 & 39

2/27/2007

4,199



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004545

WELL TYPE Private Well

1937/06/ DRILL DATE: **TOWNSHIP RANGE**

SECTION 47N 22W

9

ELEVATION:

807FT

DRILL DEPTH: 700FT

UTM X

UTMY 4,302,516.62

469,991.68

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

102

35FT

REMARKS: TRACT 51, UNIT 40

S.W.L. (AFTER CASING):

LOG ID: 018355

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP SECTION RANGE 47N

ELEVATION:

819FT

DRILL DEPTH: 700FT 22W 9

UTM X UTMY

469,991.68

DEPTH TO BED: 115FT 4,302,722.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

147

LOG ID: 023223

WELL TYPE Private Well

DRILL DATE:

1964/11/27

TOWNSHIP RANGE SECTION **ELEVATION:**

796FT

DRILL DEPTH:

182FT

47N 23W 12

UTM X UTM Y

DEPTH TO BED:

30FT

466,426.71 4,302,171.58

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2 MI S, 1 MI W OF HOUSTONIA ON HWY D

S.W.L. (AFTER CASING):

LOG ID: 023442

WELL TYPE Private Well

DRILL DATE:

1965/04/12

TOWNSHIP RANGE **SECTION**

ELEVATION:

802FT

DRILL DEPTH:

DEPTH TO BED:

410FT

70FT

47N 23W 17

UTM X UTM Y

459.258.77

4,301,580.50

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.5 MI S OF HWY D, 2 MI W OF HWY 127 N OF LAMONTE **REMARKS**:

S.W.L. (AFTER CASING): 145



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023475

DEPTH TO BED:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1964/11/

TOWNSHIP RANGE 47N 23W

ELEVATION:

UTM X

880FT

DRILL DEPTH:

SECTION

19

<u>UTM Y</u>

390FT

575FT

457,391.79 4,299,752.42

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 5 MI NE OF KNOB NOSTER; NARROW 0.9 x 1 MI SECTION

S.W.L. (AFTER CASING):

LOG ID: 024606

WELL TYPE Private Well

DRILL DATE:

1964/01/29

TOWNSHIP

RANGE SECTION

ELEVATION:

829FT

DRILL DEPTH:

545FT

47N 23W

<u>UTM X</u> 458,779.78 <u>UTM Y</u> 4,300,585.46

DEPTH TO BED:

100FT

161

REMARKS:

formerly in name of Donald Arnett - 4 MI SW OF HOUSTONIA

20

SECTION

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 020181

WELL TYPE Unknown Well

DRILL DATE:

1961/08/15

TOWNSHIP

<u>RANGE</u>

<u>ELEVATION:</u>

750FT

DRILL DEPTH:

500FT

47N 23W 24

UTM X

ZONE 15

DEPTH TO BED:

40FT

45

465,635.71

<u>UTM Y</u> 4,299,351.46

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS: 5 MI W OF HUGHESVILLE; **"CATHODIC PROTECTION HOLE", NOT

WATER WELL

LOG ID: 023273

WELL TYPE
Private Well

ivate vveii

DRILL DATE:

TOWNSHIP 47N RANGE 23W **SECTION**

ELEVATION:

785FT

DRILL DEPTH:

DEPTH TO BED:

525FT 95FT 23W 25

UTM X UTM Y

465,151.71 4,297,744.40

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: RT 1, LaMONTE

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022366

WELL TYPE Private Well

1963/09/18 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 758FT

47N 23W 28 **DRILL DEPTH:** 540FT

UTM X **UTMY** DEPTH TO BED: 140FT 460,714.75 4,297,438.35

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): FT 9 MI N ON 1ST RD TO N, JUST W OF LAMONTE ON HWY 50 **REMARKS**:

S.W.L. (AFTER CASING): 140

LOG ID: 012743

WELL TYPE

Community Public Well

DRILL DATE: **TOWNSHIP RANGE SECTION** 1953// **ELEVATION:** 716FT

47N 23W 3 DRILL DEPTH: 535FT

UTM X **UTMY** DEPTH TO BED: 80FT 462,075.76 4,304,461.64

9 MI S OF SWEET SPRINGS; "NEW SCOOOL"

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 20

LOG ID: **WELL TYPE** Private Well

DRILL DATE: 1955/09/23 **TOWNSHIP RANGE SECTION ELEVATION:** 837FT

47N 23W 30 **DRILL DEPTH:** 435FT

UTM X UTM Y

DEPTH TO BED: 458,317.77 4,297,650.34

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 150

LOG ID: 018352

014248

WELL TYPE Private Well

TOWNSHIP RANGE SECTION DRILL DATE: ELEVATION: 797FT

47N 23W 30 **DRILL DEPTH:** 460FT

DEPTH TO BED: 175FT 458,317.77 4,298,236.36

ZONE 15

S.W.L. (BEFORE CASING): **VERY BAD SAMPLES REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018674

DRILL DEPTH:

WELL TYPE Private Well

1959/11/ DRILL DATE:

670FT

DEPTH TO BED: 240FT **TOWNSHIP RANGE** 47N

23W 30

SECTION

ELEVATION:

887FT

UTM X 457,017.79

UTM Y 4,298,920.38

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

N OF COUNTY RD LINE

LOG ID: 018256

WELL TYPE Private Well

DRILL DATE:

1959//

TOWNSHIP

SECTION RANGE

ELEVATION:

757FT

DRILL DEPTH:

440FT

23W 47N 4

UTM X

UTMY

DEPTH TO BED: 75FT 460,656.77

4,304,763.64 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

LOG ID: 007485

WELL TYPE Private Well

DRILL DATE:

1940//

TOWNSHIP

RANGE SECTION 19

1.5 MI S, 3 MI E OF MARSHALL JUNCTION

ELEVATION:

770FT

DRILL DEPTH:

390FT

48N 20W

UTM X 486,092.77

UTM Y 4,308,784.98

DEPTH TO BED:

30FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

011350 **DRILL DATE:**

1950//

TOWNSHIP

SECTION RANGE

ELEVATION:

760FT

DRILL DEPTH:

320FT

48N

20W

20

UTM X

UTM Y

DEPTH TO BED:

30FT

487.945.81 4,308,923.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: RT 1, MARSHALL

S.W.L. (AFTER CASING):

115



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017786

DEPTH TO BED:

WELL TYPE Private Well

1958/10/ DRILL DATE: **TOWNSHIP RANGE**

> 48N 20W 26

SECTION

ELEVATION:

796FT UTM Y

DRILL DEPTH: 410FT

UTM X 493,808.91

4,306,123.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

@ NELSON, 1.5 MI E OF POSTAL STORE **REMARKS:**

S.W.L. (AFTER CASING):

170

10FT

LOG ID: 012771

WELL TYPE Oil Well

DRILL DATE:

1954//

TOWNSHIP

SECTION RANGE

ELEVATION:

779FT

DRILL DEPTH:

619FT

20W 28

UTM X

UTMY

DEPTH TO BED: 20FT 48N

490,549.85

4,306,609.94

ZONE 15

S.W.L. (BEFORE CASING):

4 MI E OIF LONGWOOD - DRY & ABANDONED REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022762

WELL TYPE Private Well

DRILL DATE:

1964/04/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

802FT

DRILL DEPTH:

345FT

48N 20W 35

UTM X

UTM Y

DEPTH TO BED:

15FT

493,366.88 4,304,293.89

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 012134

WELL TYPE Private Well

DRILL DATE:

1952//

TOWNSHIP 48N

RANGE SECTION **ELEVATION:**

752FT

DRILL DEPTH:

DEPTH TO BED:

519FT 90FT

21W 19

UTM X

UTM Y

REMARKS:

476,338.62

4,308,487.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 6 MI E OF HOUSTONIA

S.W.L. (AFTER CASING):

110



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024459

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

410FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 48N

RT 1, MARSHALL

21W 22 **ELEVATION:**

812FT

UTM X 481,965.68

UTMY 4,308,298.93

ZONE 15

ZONE 15

ZONE 15

LOG ID: 013387

WELL TYPE Private Well

DRILL DATE:

1955/02/

FT

FT

TOWNSHIP

TOWNSHIP

48N

REMARKS:

RANGE

SECTION ELEVATION: 722FT

DRILL DEPTH:

318FT

48N 21W 24

> **UTM X** 485,008.74

ELEVATION:

UTM X

484,308.72

UTMY 4,308,464.96

733FT

UTM Y

4,307,810.93

DEPTH TO BED: 180FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

55

REMARKS: LOCATION UNKNOWN - SECTION ??

RANGE

SEE LOG #13387

21W

LOG ID: 013490

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

1954/11/16

318FT

DEPTH TO BED: 30FT S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 55

LOG ID: 023222

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1964/01/27

472FT

30FT

TOWNSHIP 48N

RANGE 21W

SECTION 25

SECTION

24

ELEVATION:

770FT

UTM X UTM Y 485,035.73 4,306,355.89

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

@ MARSHALL JUNCTION



0.5 MI E OF #1

RANGE

RANGE

RANGE

21W

21W

21W

SECTION

28

SECTION

28

SECTION

28

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

479,494.62

ZONE 15

ZONE 15

778FT

UTMY

4,307,138.86

800FT

UTMY

4,306,314.83

LOG ID: 007397

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1941// DRILL DATE:

565FT

225FT

REMARKS:

TOWNSHIP

48N

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 010345

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1947/08/

93FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

40

85

FT

FT

REMARKS: SEE #2 - #10346

TOWNSHIP

48N

REMARKS:

TOWNSHIP

48N

S.W.L. (AFTER CASING):

LOG ID: 010708

WELL TYPE

Private Well

DRILL DATE:

1947/07/28

DRILL DEPTH:

275FT

DEPTH TO BED:

25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

Private Well 004847

DRILL DATE:

1938/06/

540FT

DRILL DEPTH:

DEPTH TO BED: 410FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

TOWNSHIP 48N

RANGE

SECTION

21W

29

ELEVATION:

792FT

UTM X 478,290.60

UTM Y 4,306,802.84

ZONE 15

OLD WELL DEEPENED 410-540' **REMARKS**:

ELEVATION:

UTM X

479,494.62

ELEVATION:

783FT

UTM X

480,694.65

UTM Y 4,307,138.88

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004387

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1937/08/12 DRILL DATE:

400FT

30FT

TOWNSHIP 48N

RANGE 21W

SECTION

ELEVATION:

795FT

31

UTM X

UTMY 4,305,024.76

476,195.62 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: TRACT 83D, UNIT 21 & 22

S.W.L. (AFTER CASING):

98

LOG ID: 004542

WELL TYPE Private Well

DRILL DATE:

1937/10/

TOWNSHIP

RANGE

TRACT 83D, UNIT 24, WELL #1

SECTION

ELEVATION:

477,395.61

792FT

DRILL DEPTH:

455FT

48N 21W

31 UTM X

UTMY

DEPTH TO BED:

40FT

90

REMARKS:

REMARKS:

4,304,818.76

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 004637

Private Well

DRILL DATE:

1938/01/

505FT

TOWNSHIP 48N

RANGE

SECTION 31

ELEVATION:

804FT

DRILL DEPTH:

21W

UTM X 476,995.61

UTMY 4,304,818.76

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

45FT

TRACT 83D, UNIT 23

ZONE 15

LOG ID: 004648

WELL TYPE Private Well

DRILL DATE:

1938/02/

TOWNSHIP

RANGE

SECTION 32

ELEVATION:

UTM X

782FT

DRILL DEPTH:

DEPTH TO BED:

405FT

20FT

48N

21W

477.806.60

UTM Y 4,304,775.76

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

TRACT 83D, UNIT 25

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010709

WELL TYPE Private Well

1947/07/15 DRILL DATE:

125FT

25

TOWNSHIP RANGE 48N

SECTION 32

ELEVATION:

749FT

DRILL DEPTH:

DEPTH TO BED:

10FT

21W

UTM X 479,206.61

UTMY 4,305,179.79

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

FT

REMARKS:

LOG ID:

010346

WELL TYPE Private Well

DRILL DATE:

1947/08/25

TOWNSHIP

REMARKS:

RANGE

SECTION 33

ELEVATION:

751FT

DRILL DEPTH:

36FT

48N 21W

SEE #1 - #10345

UTM X

UTMY 4,306,022.82

DEPTH TO BED:

10FT

10

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 006992

WELL TYPE Private Well

DRILL DATE:

1941/01/

TOWNSHIP 48N

RANGE 21W

SECTION 34

ELEVATION:

479,506.62

800FT

DRILL DEPTH:

200FT

UTM X 481,200.65

UTMY 4,304,647.79

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

15FT

50

REMARKS:

CASING PULLED UP ABOVE 45'

ZONE 15

LOG ID:

011345

WELL TYPE Private Well

DRILL DATE:

1950/04/05

TOWNSHIP 48N

RANGE

SECTION

ELEVATION:

794FT

DRILL DEPTH:

DEPTH TO BED:

125FT 40FT

35

21W 34

UTM X 481,200.65

UTM Y 4,305,545.82

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011050

WELL TYPE Private Well

1947/08/26 DRILL DATE:

270FT

DRILL DEPTH:

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 137 **TOWNSHIP RANGE SECTION** 48N 21W 36

ELEVATION:

799FT

UTM X 485,185.73

UTMY 4,305,714.86

ZONE 15

formerly in name of Jessie Thompson - HOUSE AT LONG WOOD

LOG ID:

016977

WELL TYPE

Noncommunity Public Well

DRILL DATE:

DEPTH TO BED:

1958/02/

FT

FT

DRILL DEPTH:

360FT

TOWNSHIP 48N

REMARKS:

REMARKS:

SECTION RANGE 21W 36

ELEVATION:

801FT

UTM X

UTMY 4,305,415.86

740FT

UTMY

4,308,840.86

485,485.74

ELEVATION:

UTM X

469,118.69

ZONE 15

S.W.L. (BEFORE CASING):

140

15FT

REMARKS: @ LONGWOOD

TOWNSHIP

48N

S.W.L. (AFTER CASING):

LOG ID: 004541

WELL TYPE Private Well

DRILL DATE:

1937/10/

DRILL DEPTH:

490FT

50FT

45

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 017280

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1958/04/

508FT

35FT

50

TOWNSHIP 48N

RANGE 22W

RANGE

22W

TRACT 211, UNIT 34, WELL #1

SECTION 21

SECTION

20

ELEVATION:

709FT

UTM X 469.920.69

UTM Y 4,309,771.90

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

REMARKS:

3 MI N OF HOUSTONIA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004539

WELL TYPE Private Well

DRILL DATE: 1937/06/29

TOWNSHIP 48N

RANGE SECTION **ELEVATION:**

749FT

DRILL DEPTH:

500FT

41

28

UTM X 469,841.68

UTMY 4,307,959.83

DEPTH TO BED: 15FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

REMARKS:

TRACT 31, UNITS 35 & 36, WELL #1

22W

ZONE 15

LOG ID:

005727

WELL TYPE Private Well

DRILL DATE:

1939/10/

TOWNSHIP

RANGE

SECTION ELEVATION: 760FT

DRILL DEPTH:

456FT

48N 22W 29

> **UTM X** 469,439.69

UTMY 4,306,834.78

DEPTH TO BED: 80FT

65

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS: 0.75 MI N OF HOUSTONIA

LOG ID:

WELL TYPE

012805

Community Public Well

DRILL DATE:

1954/07/27

TOWNSHIP

RANGE

SECTION

ELEVATION:

780FT

DRILL DEPTH:

48N

22W

32

DEPTH TO BED:

1.007FT 40FT

UTM X **UTMY**

468,600.69 4,305,730.73

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

107 FT

REMARKS:

S.W.L. (AFTER CASING):

16 FT

LOG ID: 024714

WELL TYPE Private Well

DRILL DATE:

1964/06/

TOWNSHIP

REMARKS:

RANGE

SECTION

ELEVATION:

735FT

DRILL DEPTH:

520FT

48N

23W

22

UTM X

462.695.76

UTM Y

4,309,555.84

DEPTH TO BED:

95FT

ON HWY 127, 3.5 MI S OF SWEET SPRINGS

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022711

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1964/01/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 734FT

525FT 48N 23W 25

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 465,839.73 4,307,895.80

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 4 MI SE OF SWEET SPRINGS; YIELD - 10 GPM @ 260'

S.W.L. (AFTER CASING): 70

LOG ID: 023481

WELL TYPE
Private Well

DRILL DATE: 1964/03/07 TOWNSHIP RANGE SECTION ELEVATION: 721FT

DRILL DEPTH: 530FT 48N 23W 27

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 95FT 4,307,645.76

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 3 MI S OF SWEET SPRINGS

S.W.L. (AFTER CASING):

LOG ID: 001814 WELL TYPE Private Well

<u>DRILL DATE:</u> 1914// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 722FT

DRILL DEPTH: 370FT 48N 23W 29

<u>UTM X UTM Y</u> <u>DEPTH TO BED:</u> 140FT 459,291.79 4,308,022.76

S.W.L. (BEFORE CASING):

REMARKS: OLD LOG, SOME PART APPEAR OUT OF SEQUENCE (250-315')

S.W.L. (AFTER CASING):

LOG ID: 022710

WELL TYPE Private Well

DRILL DATE: 1964/02/ <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 709FT

48N

DRILL DEPTH: 500FT UTM X UTM Y

23W

34

<u>DEPTH TO BED:</u> 35FT 461,912.76 4,306,345.71

S.W.L. (BEFORE CASING): FT REMARKS: 5 MI S OF SWEET SPRINGS

S.W.L. (AFTER CASING): 20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019717

WELL TYPE Private Well

<u>DRILL DATE:</u> 1961/03/22 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u>

DRILL DEPTH: 485FT 48N 23W 36

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 50FT 465,536.72 4,305,794.71

ZONE 15

718FT

S.W.L. (BEFORE CASING): FT REMARKS: 3 MI NW OF HOUSTONIA

S.W.L. (AFTER CASING): 75

PETTIS